

1km Single-mode Fiber Patch Cord




1km Single-mode Fiber Patch Cord



High-Performance Single-Mode Fiber Patch Cords & Jumpers FIBERONE® specializes in manufacturing premium single-mode fiber optic patch cords designed for high-bandwidth, long ...




When it comes to Single-Mode Fiber Optic Cable Patch Cords, you can count on Grainger. Supplies and solutions for every industry, plus easy ordering, fast delivery and 24/7 customer support.



Also available are single mode patch cables with AR-coated FC/PC or FC/APC connectors for improved fiber-to-free-space coupling, thermally-expanded-core (TEC) patch cables, high-power end-capped ...



Have any questions? Talk with us directly using LiveChat.



Designed for use with lasers from 450 - 1650nm in 1m, 2m and 5m standard lengths, these Single Mode Fiber Optic Patchcords are ideal for applications including beam delivery, microscopy, and ...



OS1 Fiber Patch Cable single mode is the standard and most common single-mode fiber cable used with wavelengths 1310 nm and 1550 nm with a maximum attenuation of 1 dB/km. The cables of this ...



FLYPROFiber- 1M-6Pack OS2 LC to LC Single Mode Fiber Patch Cable, SM Fiber Optic Cable, SMF Singlemode Fiber Jumper Cord, Duplex, 9/125um, Yellow, LSZH, 1M (3ft)-6Pack



Have any questions? Talk with us directly using LiveChat.



Get low-loss fiber patch cables & cords with various connector options that support fiber optic cabling up to 400G. 100% tested. Customized cables available.



We stand behind the craftsmanship of every fiber optic product we deliver. From Indoor / Outdoor, Single mode & Multimode to Mode Conditioning and SFP Transceivers.

Contact Us

For more information, pricing, or custom energy solutions, please contact us:

Website: <https://www.gdroofing.co.za>

Email: sales@gdroofing.co.za

Phone: +27 72 418 9365

Address: 22 Electron Avenue, Isando, Johannesburg, 1600, South Africa

This document is for informational purposes only. Specifications subject to change without notice.

