

GDR Telecom Site Energy Systems


1x4 optical cable



1x4 optical cable



Our current LTL partners include Estes, ABF, Reddaway, YRC, Old Dominion, and Diamond Line. These items are shipped via Curbside Delivery. We have a 30-day return policy, which means you ...



The optical fiber splitter divides the fiber optic light into numerous sections at a specific ratio. The PLC splitter takes minimal distortion during usage due to its small form and bending insensitive cables, ...



It can save time and space but still provides reliable protection for the fiber optic cable. The 1x4 LGX PLC splitter is usually installed in the wall mount FTTH box for fiber optical signal distribution.



This PLC Splitter is a 1x4, with 1 input and 4 output fibers with an even split ratio across all fibers regardless of input wavelength. PLC Splitters are available with 900µm loose tube single mode fiber ...



Splitter functionality reduces the distribution cable fiber count requirement, lowering initial cost. The terminal's reliability and flexibility make it the ideal choice for network access point terminals in all ...



Thorlabs offers a varied selection of single mode (SM), polarization-maintaining (PM), multimode (MM), and double-clad fiber couplers, as well as 1x8 and 1x16 SM PLC splitters; 1x4, 1x8, and 1x16 PM ...



These devices splits the fiber optic signal from a single Input to equally split Outputs. Our Splitters are available in 900µm loose tube and 250µm bare fiber and 2mm buffered.



The Fiber Optic Splitter 1x4 consists of 1 input and 4 output fibers, ensuring a consistent split ratio across all fibers, regardless of the input wavelength. These splitters are available with 900µm loose ...



These 1x4 Dual-Window Fiber Optic Couplers are designed for splitting a single input signal at 1310 nm or 1550 nm equally into four output signals. The couplers have operating bandwidths of ± 40 nm and ...



LiNKFOR, a professional connectivity manufacturer, we focus on 5 product lines: HDMI switcher, optical splitter; DAC converter, microphone system and audio amplifier.

Contact Us

For more information, pricing, or custom energy solutions, please contact us:

Website: <https://www.gdroofing.co.za>

Email: sales@gdroofing.co.za

Phone: +27 72 418 9365

Address: 22 Electron Avenue, Isando, Johannesburg, 1600, South Africa

This document is for informational purposes only. Specifications subject to change without notice.

