

# GDR Telecom Site Energy Systems

## 2005 Optical Module




## 2005 Optical Module




The 2005 Photodyne SC Optical Interface Adapter will still be available for purchase and support from Artisan Technology Group beyond End-Of-Life (EOL) by the manufacturer (OEM).



Improves performance and fuel efficiency, easy to install with hand tools, reduces maintenance. It is built with the latest thermal clad based surface mount construction for maximum dependability and long ...



Our high performance optical receiver modules are uniquely designed to support high-speed transmission signals and protect from electromagnetic interference (EMI).



Step 1: Add YD/T 1352-2005 to Cart → Step 2: Go to Cart → Step 3: Go to Pay → Step 4: Get YD/T 1352-2005 via email in 1~3 business day



Design requirements Modern optical module designs often require: Reduced power consumption to control and limit module temperature rise. Dynamic and precise control of laser diodes to regulate ...



Explore the working principles, structures, and performance metrics of optical modules, essential components of optical fiber communication systems. Learn about key indicators such as average ...



This optical transceiver is a 400Gb/s Quad Small Form Factor Pluggable-double density (QSFP-DD) optical module designed for 10km optical communication applications.

DATA ADJUSTABLE, EASY TO USE



SET INCREASE DECREASE POWER SWITCH

A widely-tunable DFB-laser array module operating in the L-band is developed. It can cover a wide range (3.15 THz) with a high SMSR (>45 dB). A fiber-output power of 40 mW and high-speed ...



When working with the module, be sure to ground your body and any electrical equipment you may be using. We strongly recommend the use of anti static mats ( made of rubber ), to protect work tables ...



maximum operating range of up to 6600 feet. Totally dielectric fiber optic cable is immune to high voltage and lightning. This compact asynchronous system can help you transmit data in-house or in other ...

## Contact Us

For more information, pricing, or custom energy solutions, please contact us:

Website: <https://www.gdroofing.co.za>

Email: [sales@gdroofing.co.za](mailto:sales@gdroofing.co.za)

Phone: +27 72 418 9365

Address: 22 Electron Avenue, Isando, Johannesburg, 1600, South Africa

This document is for informational purposes only. Specifications subject to change without notice.

