

## 40g Single-mode Dual-core Pigtail



## 40g Single-mode Dual-core Pigtail



The QSFP+ module is designed for use in 40GBASE Ethernet throughput up to 2km over single mode fiber (SMF) using a wavelength of 1310nm via duplex LC connectors. This transceiver is compliant ...



Most QSFP+ ports support breakout mode, allowing one 40G port to split into four independent 10G SFP+ links using appropriate breakout DAC, AOC, or fiber cables.



The Cisco WSP-Q40GLR4L QSFP module supports link lengths of up to 2 kilometers over a standard pair of G.652 Single-Mode Fiber (SMF) with duplex LC connectors. The 40 Gigabit ...



Leviton fiber optic pigtail kits are a good solution for mechanical or fusion splicing applications. Available in a range of multimode and single-mode fibers with SC, ST or LC connectors. Our premium pigtails ...




FS 40G QSFP+ optical transceiver module solutions offer a full range of QSFP+ modules from 150m to 80km reach, and used for high-density switching, routing and data center applications.



Fiber Optic Pigtail assemblies are utilised in terminating fiber optic cables via fusion splicing. Iveonet™ offers a wide range of pigtails, designed and manufactured for demanding network applications, ...



The ModSel allows the use of multiple QSFP modules on a single 2-wire interface bus. When the ModSel is “High”, the module will not respond to any 2-wire interface communication from the host.



The Ruijie 40G-QSFP-LR4-SM1310 QSFP+ Optical Transceiver Module is designed for use in 40GBASE Ethernet throughput up to 10km over single mode fiber (SMF) using a wavelength of ...



The QSFP+ module is specifically designed for efficient use in 40GBASE Ethernet applications that require data transmission up to 10km over single mode fiber (SMF).



QSFP+ Transceiver Designed for Connection to Your Cisco Network Switch or Server. This QSFP+ transceiver allows you to connect a singlemode fiber optic cable to a 40 Gbps network router, server ...

## Contact Us

For more information, pricing, or custom energy solutions, please contact us:

Website: <https://www.gdroofing.co.za>

Email: [sales@gdroofing.co.za](mailto:sales@gdroofing.co.za)

Phone: +27 72 418 9365

Address: 22 Electron Avenue, Isando, Johannesburg, 1600, South Africa

This document is for informational purposes only. Specifications subject to change without notice.

