


48-core double-ended optical fiber splice closure



48-core double-ended optical fiber splice closure



Infinique Fiber Optic Splice Enclosure has been specifically designed to give greater protection for fiber optic connections. It is made of tough chemical resistant engineering material which effectively ...



RLH Industries Outside Plant Fiber Splice Closure provides reliable and flexible installation for outdoor in-line and/or butt end applications. The compact size and high quality construction allows for ...



The consolidation of multiport tails for up to 24 flat cables is accomplished with optional add-a-cable kits. Designed for configuration flexibility, these closures offer expanded slack storage, various tray ...



CTUO optical splice closures are used to distribute, splice, and store the outdoor optical cables which enter and exit from the ends of the closure. There are two connection ways: direct connection and ...



It accommodates the splicing and branching of the cable which is used in aerial-hanger, wall-mounting or direct burial. The closure and the foundation plate are sealed with silicone material which fixes ...



The optical 48 core splice closures are designed for distributing, splicing, and storing outdoor optical cables. They support direct and splitting connections, suitable for overhead, pipeline, and embedded ...




The 48 core dome fiber splice closure is a compact and durable outdoor splice enclosure designed for fiber optic splicing, protection, and distribution in FTTH and OSP networks.



1. The closure casing is made of quality engineering plastics, and of good performance of anti-erosion against acid and alkali salt, anti-aging, as well as smooth appearance and reliable mechanical structure.



The FOSC-DHS-6012 48 Cores Closure allows two cables in and three cables out (with three stand-alone Cable Entry Ports and one oval cable entry port). It accommodates the splicing ...



48 Core Fiber Optic Splice Joint Closure Dome Types F101H are used to distribute, splice, and store the outdoor optical cables which enter and exit from the ends of the closure.

Contact Us

For more information, pricing, or custom energy solutions, please contact us:

Website: <https://www.gdroofing.co.za>

Email: sales@gdroofing.co.za

Phone: +27 72 418 9365

Address: 22 Electron Avenue, Isando, Johannesburg, 1600, South Africa

This document is for informational purposes only. Specifications subject to change without notice.

