


## 5050 optical splitter tap interface



## 5050 optical splitter tap interface



The PolyPhaser PTAP-5050-M4LC-LGX is a 50/50 Split Passive Optical Tap in a 1/2LGX Module. The PTAP-5050-M4LC-LGX is designed for use with OM4 Multimode Fiber and features LC/UPC ...



EDGE™ Bidi tap modules, part of EDGE solutions for data centers and storage area networks (SAN), enable passive optical tapping of Cisco's 40G multimode BiDi links while reducing downtime and link ...



These modules contain optical splitters, dividing the incoming optical signals into two channels for live link traffic and monitoring. Live and TAP ports, providing permanent inline access to ...



The Net Optics Flex tap delivers total traffic visibility for network monitoring and security tools. Deploying this network tap on any network link with a universal rack mount will reduce rack space usage and ...



TAP-PMM4-5050-LGX - Fiber Optic Splitter MPO/PC from L-com. View datasheets, pricing and availability from DigiKey now!



The EDGE8™ tap modules provide the same functionality as the EDGE8 connector modules with the added capability of monitoring of live traffic for various applications via the use of advanced splitter ...



The L-com TAP-LCM4-5050-LGX is a 50/50 Split Passive Optical Tap in a 1/2LGX ...



OTAP splitters (MPO interface) are hardware tools that allow you to monitor your network. The Optical TAP with 50:50, 60:40 or with a customized splitting ratio, which could 100% copy your network data ...



The L-com TAP-LCM4-5050-LGX is a 50/50 Split Passive Optical Tap in a 1/2LGX Module. The TAP-LCM4-5050-LGX is designed for use with OM4 Multimode Fiber and features LC/UPC connectors.

## Contact Us

For more information, pricing, or custom energy solutions, please contact us:

Website: <https://www.gdroofing.co.za>

Email: [sales@gdroofing.co.za](mailto:sales@gdroofing.co.za)

Phone: +27 72 418 9365

Address: 22 Electron Avenue, Isando, Johannesburg, 1600, South Africa

This document is for informational purposes only. Specifications subject to change without notice.

