

# GDR Telecom Site Energy Systems

## 850nm Optical Module Devices



## 850nm Optical Module Devices




These modules utilize 4 pairs of parallel multimode fibers for transmission, with a center wavelength of 850nm. The maximum transmission distance is 100m (OM3 MMF) or 150m (OM4 MMF). Industrial ...



For engineers seeking high-quality, standards-compliant SFP modules with precise wavelength specifications and full interoperability, explore the LINK-PP Official Store for a wide range ...



Product Description 10 Pack 1.25G SFP SX optical module 850nm ...



Optomarine's 850nm optical module for communication links is excellent for long-distance transmission and is the best solution to prevent malfunctions due to noise in industrial sites. This product transmits ...



From legacy 155M networks to modern 10G data centers, 850nm SFP modules provide a broad speed range, consistent multimode fiber support, and cost-efficient short-reach performance, making them ...



10GBASE-SR SFP+ Transceiver Module (MMF, 850nm, 300m, LC, DOM) 10GBASE-SR compatible SFP+ transceiver supports up to 400m link lengths over OM4 MMF (300m over OM3 MMF) via an ...



Using a short wavelength (850nm) VCSEL laser diode and enabling a maximum cable distance of 1804" (550m) over multi mode fiber, this Small Form Factor Pluggable (SFP) Gigabit Multi Mode module ...



The XFP module is compliant with the 10G Small Form-Factor Pluggable (XFP) Multi-Source Agreement (MSA), supporting data-rate of 8.0~11.1Gbps, and transmission distance up to 300m with OM3 ...





10GBASE-SR SFP+ Transceiver Module (MMF, 850nm, 300m, LC, DOM) ...



This series of products use 1 pair of multimode optical fiber for transmission, the center wavelength is 850nm, the distance can reach up to 70m (OM3) or 100m (OM4), and the working temperature range ...



The XFP module is compliant with the 10G Small Form-Factor Pluggable (XFP) Multi-Source Agreement (MSA), supporting data-rate of 8.0~11.1Gbps, and ...

	<p>Product Description 10 Pack 1.25G SFP SX optical module 850nm Multimode reach 550m transmission distance, SFP Fiber module is Hot-Swappable with ESD protection making ...</p>
	<p>Mouser offers inventory, pricing, &amp; datasheets for 850 nm Fiber Optic Transmitters, Receivers, Transceivers.</p>

## Contact Us

For more information, pricing, or custom energy solutions, please contact us:

Website: <https://www.gdroofing.co.za>

Email: [sales@gdroofing.co.za](mailto:sales@gdroofing.co.za)

Phone: +27 72 418 9365

Address: 22 Electron Avenue, Isando, Johannesburg, 1600, South Africa

This document is for informational purposes only. Specifications subject to change without notice.

