


APC 8-degree angled single-mode fiber optic patch cord



APC 8-degree angled single-mode fiber optic patch cord



What is the difference between APC and UPC Connectors? UPC connectors are polished with no angle whereas APC connectors have a fiber endface that has an 8 degree angle and is polished.



Designed for use with lasers from 450 - 1650nm in 1m, 2m and 5m standard lengths, these Single Mode Fiber Optic Patchcords are ideal for applications including beam delivery, microscopy, and ...



APC (Angled Physical Contact) Simplex & Duplex Patch Cords are used when optical return loss is a concern. The connector endface is polished to an 8 degree angle.



Bangun SC/APC to SC/APC Fiber Optic Cable (a quick and easy replacement Internet Fiber Optic Cable), suitable for all networks, commonly used in home FTTH & FTTB Fiber Optic Networks.



These single mode fiber optic patch cables are FC/APC terminated on both ends, making them ideal for systems that are sensitive to back reflections. The narrow key connector utilizes a ferrule that has an ...



APC connector is the most widely used fiber connector type today. "APC" stands for Angled Physical Connect. The angle of the ferrule end face is the 8-degree angle, which is very ...



The green-colored SC/APC connectors feature an 8° angled end-face to minimize back reflection, making them ideal for RF video signals and high-precision optical systems.



Choose single mode fiber optic patch cables with UPC connectors, APC connectors or a combination of both. Color options make the installation process faster and easier. We also stock bend insensitive ...



Both ends of these fiber patch cords are SC/APC. APC stands for Angle Polished Connector. Known for its durability, simplicity, and low cost, the SC-APC design also features a unique built-in housing for ...



It is a fiber optic cable with a green connector and an 8-degree angled end face for frequency signal improvement on data to be transmitted and for enhancing speed on the data ...

Contact Us

For more information, pricing, or custom energy solutions, please contact us:

Website: <https://www.gdroofing.co.za>

Email: sales@gdroofing.co.za

Phone: +27 72 418 9365

Address: 22 Electron Avenue, Isando, Johannesburg, 1600, South Africa

This document is for informational purposes only. Specifications subject to change without notice.

