

ASEAN 10 Countries DAC High-Speed Cable 40G



Overview

The HW QSFP-40G-CU1M Compatible 40G QSFP+ Passive Direct Attach Copper Twinax Cable is designed for use in 40GBASE Ethernet. It provides a QSFP+ to QSFP+ copper direct-attach solution. This cable is compliant with IEEE 802. Copper Cable assemblies are designed to exceed industry standard performance offering a cost-effective, low latency, low-power option for high-speed data center interconnects. With these features, this easy. The Volex DAC cable product family includes cable assemblies with Small Form-factor Pluggable (SFP), Quad Small Form-factor Pluggable (QSFP), and Octal Small Form-factor Pluggable (OSFP) single and double density modules. JTOPTICS 40G QSFP+ DAC (Direct-attach. 40G QSFP+, 40G QSFP+ Multivendor, 40G QSFP+ Breakout, and 40G QSFP+ Multivendor Breakout DAC Cables for High Speed Data Center Interconnects 100% OEM Compatible, 40GBase-CR4, QSFP+ to QSFP+ DAC (Direct Attach Copper) Cable, Passive Specifications Form Factor: QSFP+ Direct Attach Copper (DAC) Data. Amphenol QSFP+ Cables (40G QSFP+ DAC Cables) now available in lengths up to 7m (23') at Cables on Demand - Buy Direct from the world's largest QSFP+ Cable OEM and save! Amphenol QSFP+ Passive Direct Attach Copper (DAC) Cables

integrate Spectra-Strip's new 8-Pair SKEWCLEAR EXF tri-shield twinax.

ASEAN 10 Countries DAC High-Speed Cable 40G



This cable is compliant with IEEE 802.3ba Ethernet standard and QSFP MSA Compliant. With these features, this easy to install, high speed, cost-effective direct attach copper twinax cable is suitable ...



With the features of the low cost, low power consumption and low latency, it is an alternative to optical transceivers for short reach links in high-speed interconnect applications such as Data Center, HPC ...



40G QSFP+, 40G QSFP+ Multivendor, 40G QSFP+ Breakout, and 40G QSFP+ Multivendor Breakout DAC Cables for High Speed Data Center Interconnects.




Our QSFP+ cables integrate a new 40G Ethernet-optimized (40GbE) 38-position “board-as-connector” design with zinc die-cast backshells for superior EMI resistance, ...



Discover JTOPTICS 40G DAC Cables for seamless, high-speed data transmission in scalable network environments.



The 40G QSFP+ DAC cable is designed for 40Gb/s high-speed and low-power interconnecting networking applications such as data centers and HPC, etc - AscentOptics.



They offer a low power consumption, short- reach interconnected applications. The cable each lane is capable of transmitting data at rates up to 10 Gb/s, providing an aggregated rate of 40 Gb/s.



This cable is compliant with IEEE 802.3ba Ethernet standard and QSFP MSA ...




This 40G QSFP+ cable delivers what you need most in your network connections: reliable performance. It's built to MSA specifications and fully tested to ensure seamless compatibility.



40G passive Direct Attach Copper Cable assemblies are designed to exceed industry standard performance offering a cost-effective, low latency, low-power option for high-speed data center ...



40G QSFP+ Active Direct Attach Copper Twinax Cable is designed for use in 40GBASE Ethernet. It provides a QSFP+ to QSFP+ copper direct-attach solution. This cable is compliant with IEEE ...



High-speed Volex Direct Attach Copper (DAC) cables deliver reliable, energy-efficient data transfer for data centers. Customizable, tested and ready to deploy.

Contact Us

For more information, pricing, or custom energy solutions, please contact us:

Website: <https://www.gdroofing.co.za>

Email: sales@gdroofing.co.za

Phone: +27 72 418 9365

Address: 22 Electron Avenue, Isando, Johannesburg, 1600, South Africa

This document is for informational purposes only. Specifications subject to change without notice.

