

Aggregation Switch 8 Fiber Optics 24 Electricity



Aggregation Switch 8 Fiber Optics 24 Electricity



Developed for long distance fiber installations. Equipped with eight SFP+ ports, two additional SFP28 ports and one RJ45 console port for configuration. With AXIS ...



Axis D8308 is a network switch with eight SFP+ and two SFP28 ports that acts as a centralizing solution for connecting multiple Axis IP devices with fiber midspans.




Developed for long distance fiber installations. Equipped with eight SFP+ ports, two additional SFP28 ports and one RJ45 console port for configuration. With AXIS D8308 Fiber Aggregation Switch you ...



The Axis D8308 acts as a central point to connect multiple Axis devices with fiber midspans over longer distances. It also allows you to grow your system by adding more fiber switches or network switches.



Aggregation switch for small and medium-sized campus networks, with 8 x 1GE/10GE SFP+ uplink ports for high-speed data transmission; 24 x 1GE SFP ports (including 8 x combo ports), providing high ...



Faster replacement and priority support, covered for 5 years. High-performance 10G SFP modules for optimal connectivity. An 8-port, Layer 2 switch made for 10G SFP+ connections.



Link aggregation is used to aggregate multiple physical ports to form a logical port for load balancing, bandwidth expansion, and port protection. Support static link aggregation.



AXIS D8308 acts as a central point to connect multiple Axis devices with fiber ...



AXIS D8308 acts as a central point to connect multiple Axis devices with fiber midspans over longer distances. It also allows you to grow your system by adding more fiber switches or network switches.



Scalable and flexible With AXIS D8308 Fiber Aggregation Switch you can connect multiple Axis devices using fiber midspans over long distances. It also enables easy expansion by simply adding more ...



Equipped with eight high-speed SFP+ ports and two additional SFP28 ports, it supports both 10 Gbps and 25 Gbps fiber connections, making it ideal for long-distance fiber installations that require reliable ...

Contact Us

For more information, pricing, or custom energy solutions, please contact us:

Website: <https://www.gdroofing.co.za>

Email: sales@gdroofing.co.za

Phone: +27 72 418 9365

Address: 22 Electron Avenue, Isando, Johannesburg, 1600, South Africa

This document is for informational purposes only. Specifications subject to change without notice.

