



## Australian Self-Supporting Optical Cable



## Australian Self-Supporting Optical Cable



-Dielectric Self-Supporting (AFL-ADSS®) Fiber Optic Cable AFL-ADSS® (All-Dielectric Self-Supporting) fiber optic cable is designed for outside plant aerial transmission and distribution environments. As its ...



Designed specifically for deployment alongside power lines and utility poles, ADSS eliminates the need for metallic components and external support structures, making it a go-to choice ...



Data cable options to secure your installation. With a range of families to choose from, we have cable designed and manufactured to your needs. Nexans Australia is proudly Australian Made.



All-Dielectric Self-Supporting Fibre Optic Cable is excellent for aerial cable suspension. Composing of an All-Dielectric Construction and Dry Water Blocking, it is ready for your networking needs.



Norden flat drop cable is suitable for Fibre To The Home (FTTH) application. The cable is constructed with 1.0mm galvanized steel wire self supporting messenger, 2 x 0.4mm phosphated steel wire ...



This document specifies the minimum requirements for constructing All Dielectric Self Supporting (ADSS) fibre optic aerial telecommunications cabling systems, attached to poles.



The Australia Self Supporting Aerial Optical Cable market serves telecommunications and power utility networks requiring fiber deployment without messenger wires or underground trenching.



Our new rodent proof, all dielectric fibre optic cable NoR@T is designed in Australia to withstand aggressive Australian rodents. With a protective layer of Glass Reinforced Plastic (GRP) the cable is ...



While the concentric, self-supporting cable design allows easy, one-step installation using standard hardware and installation methods, the SZ-stranded, loose tube design isolates optical fibres from ...



AFL Australia's ADSS Fibre Optic Cables are engineered for aerial installations without the need for metallic components or additional support.

## Contact Us

For more information, pricing, or custom energy solutions, please contact us:

Website: <https://www.gdroofing.co.za>

Email: [sales@gdroofing.co.za](mailto:sales@gdroofing.co.za)

Phone: +27 72 418 9365

Address: 22 Electron Avenue, Isando, Johannesburg, 1600, South Africa

This document is for informational purposes only. Specifications subject to change without notice.

