

Bahamas Pluggable Optical Module 10G



Bahamas Pluggable Optical Module 10G



Offering 10Gb/s data transfer rates over single-mode fiber, it ensures reliable connectivity up to 10 kilometers. With a user-friendly plug-and-play design and rigorous quality testing, this transceiver is ...



The module interfaces to the network through a connector interface on the electrical ports and through an LC termination connector on the optical ports. It is identical in size to SFP modules, ...



FS 10GbE SFP+ module solutions provide a wide variety of 10 Gigabit Ethernet connectivity options for data centers, enterprise wiring closets, Internet Service Providers (ISPs) applications.



Testing Modules & Tools Smart Optical Transceiver BOX GIGALIGHT provides the smart box tools for online coding of SFP, XFP, SFP+, QSFP+, and QSFP28 optics, as well as wavelength tuning for 10G ...



TRENDnet's SFP+ Single Mode LC Modules are compatible with standard SFP+ slots found on network switches and fiber converters. Each single mode 10G ...




This innovative solution enables more simplified and reliable edge and data center networks aligned with a standards-based ecosystem and can help eliminate separate full-function optical transceiver boxes, ...



Perle 10 Gigabit Optical Transceivers are interchangeable, compact media connectors and enable a single network device to connect to a wide variety of ...



Learn everything about 10GB SFP modules, including types, specifications, compatibility, and how to choose the right 10G SFP+ transceiver for your network.



Juniper's portfolio of qualified 10G and 1G optical transceivers are low-cost multipurpose modules available in footprint-optimized form factors.



Perle 10 Gigabit Optical Transceivers are interchangeable, compact media connectors and enable a single network device to connect to a wide variety of fiber types and distances. For use with Perle 10 ...



TRENDnet's SFP+ Single Mode LC Modules are compatible with standard SFP+ slots found on network switches and fiber converters. Each single mode 10G SFP+ transceiver is equipped with a duplex LC ...



- Optical interface compliant to IEEE 802.3ae 10GBASE-SR
- Electrical interface compliant to SFF-8431
- Hot Pluggable
- Maximum link length of 300m on 2000MHz/km MMF
- Low power consumption
- All ...

Contact Us

For more information, pricing, or custom energy solutions, please contact us:

Website: <https://www.gdroofing.co.za>

Email: sales@gdroofing.co.za

Phone: +27 72 418 9365

Address: 22 Electron Avenue, Isando, Johannesburg, 1600, South Africa

This document is for informational purposes only. Specifications subject to change without notice.

