


# **Belgium RoHS SFP Optical Module 25G**



## Belgium RoHS SFP Optical Module 25G



The Gigalight Technologies GSS-SP0250-LRC is a single-channel, pluggable, fiber-optic SFP28 transceiver module for 25G Ethernet and InfiniBand EDR applications.



MODEL NUMBER: N286-25G-SRS-G Connects a multimode Gigabit Ethernet fiber optic network cable to a router, switch or server's SFP28 port.



25G SFP28 LR 10km • Operating data rate support 24.3Gbps- 26.5Gbps • Compliant with IEEE 802.3 • Compliant with SFF-8402



FS 25G SFP28 transceiver solutions offer a wide variety of high-density and low-power 25 Gigabit Ethernet connectivity options for data centre and high-performance computing networks applications.



Looking for a specific compatibility?  
S2813010250F is a high performance transceiver module for 25 Gigabit Ethernet data links over a single mode fibre pair. The maximum reach is 10km. The ...




The SFP28 10/25GBASE-LR module is designed for data transmission using two single-mode fibers (SMF). It transmits data at speeds of up to 25 Gbps Ethernet, over distances of up to 10km.



The Brocade 25GbE SR SFP+ optical transceiver undergo rigorous qualification and certification testing to guarantee compatibility and ensure highly reliable connectivity in a storage network fabric.



They are compliant SFF-8472 Rev 12.2b, and compatible with SFF-8432a and applicable portions of SFF-8431 Rev. 3.0c. The product is RoHS compliant and lead-free per Directive 2011/96/EUd. See ...



The EdgeOptic 25G-SFP28-100 is a 25GBASE-SR SFP28 transceiver for 25 Gigabit Ethernet over multimode fiber. The module uses an 850 nm VCSEL transmitter paired with a PIN photodiode ...



An SFP-25G-BX40D-I device is always connected to an SFP-25G-BX40U-I device with a single strand of standard SMF. The communication over a single strand is achieved by separating ...



FiberMall offers 25G Optical Transceiver Modules, which is compliant with the Multi-Source Agreement using Small Form-Factor Pluggable (SFP28) footprint.

## Contact Us

For more information, pricing, or custom energy solutions, please contact us:

Website: <https://www.gdroofing.co.za>

Email: [sales@gdroofing.co.za](mailto:sales@gdroofing.co.za)

Phone: +27 72 418 9365

Address: 22 Electron Avenue, Isando, Johannesburg, 1600, South Africa

This document is for informational purposes only. Specifications subject to change without notice.

