

# GDR Telecom Site Energy Systems

## COMSOL beam splitter




## COMSOL beam splitter



The beam is split into two beams, one propagating in the x direction and the other in the y direction. The splitting can be evaluated by computing the flux crossing the incoming boundary and the two ...



This tutorial explains all the steps to simulate the 2-dimensional beam splitter problem using Electromagnetic Waves Frequency Domain physics in COMSOL Multiphysics.



This tutorial explains all the steps to simulate the 2-dimensional beam splitter problem using Electromagnetic Waves Frequency Domain physics in ...



The app automatically calculates the phase expressions necessary for the Electromagnetic Waves, Beam Envelopes interface, when the user changes the design parameters.



Create an easy-to-use simulation app to efficiently analyze and optimize a polarizing beam splitter. Find inspiration with our example.



In this page, you can find some useful files such as templates, user guidelines, example models for Comsol.



The beam is split into two beams, one propagating in the x direction and the other one in the y direction. The splitting can be evaluated by computing the flux crossing the incoming boundary and the two ...



One way of making a splitter is to deposit a thin layer of metal between two glass prisms. The beam is slightly attenuated within the layer and then split into two paths.

## Contact Us

For more information, pricing, or custom energy solutions, please contact us:

Website: <https://www.gdroofing.co.za>

Email: [sales@gdroofing.co.za](mailto:sales@gdroofing.co.za)

Phone: +27 72 418 9365

Address: 22 Electron Avenue, Isando, Johannesburg, 1600, South Africa

This document is for informational purposes only. Specifications subject to change without notice.

