



GDR Telecom Site Energy Systems


Cable tray pipe clamps





Cable tray pipe clamps

<p>OEM/ODM CUSTOMIZATION AVAILABLE</p> 	<p>Cable Tray Clamp, For Rigid, IMC & EMT, 1-1/2", Malleable Iron, Tray Bond, Conduit at Right Angle to Tray. Category: Conduit To Cable Tray Adapters. Eaton B-Line series Flextray conduit connector, ...</p>
--	---

	<p>Cable tray clamps are used for connecting and grounding rigid conduit, IMC, or EMT to cable trays. They secure and bond metal conduit (rigid steel or aluminum, IMC and EMT) to the side rails of steel ...</p>
---	--

	<p>They are designed to mount on all types of tray configurations (inside, outside, or double flange) and provide greater cable capacity and working area within the tray by reducing internal clamp obstruction.</p>
--	---

	<p>Made with chemicals safer for human health and the environment. Manufactured on farms or in facilities that protect the rights and/or health of workers. Discover more products with sustainability features. ...</p>
---	--

	<p>Mayer is your trusted source for Cable Tray Clamps.</p>
---	--



These tray systems allow excellent ventilation and prevent sagging while routing. They support up to 280 lbs. per foot (based on a tray support, such as hanging clamps or a hanging bar, every 8 feet).



Explore and download MTK Pipe Clamps product catalogues including pipe clamps, cable trays, cable ladders, trunkings, conduits, junction boxes, and fixing systems. ISO certified manufacturer with ...



Cable Tray Ground Clamp, 6 AWG - 250 MCM, Aluminum With Tin Plating, Stainless Steel Hardware, Suitable for Outdoor Applications With Flange In/Out Cable Tray Design



These special heavy duty tray hold down cable tray clamps and expansion guides are ideal for fastening tray to C-Channels and beams, such as those found on bridges.



LCC cable tray conduit clamps are used for installation on cable tray side rails with inside flanges (requiring inside tray mounting) and outside flanges; LCCF clamps are for use exclusively on inside ...

Contact Us

For more information, pricing, or custom energy solutions, please contact us:

Website: <https://www.gdroofing.co.za>

Email: sales@gdroofing.co.za

Phone: +27 72 418 9365

Address: 22 Electron Avenue, Isando, Johannesburg, 1600, South Africa

This document is for informational purposes only. Specifications subject to change without notice.

