


## Core Switch 52 Gigabit Optical Interface



## Core Switch 52 Gigabit Optical Interface



With Gigabit Ethernet RJ45 and SFP ports, 10 GbE SFP+ ports, advanced security features, and advanced Quality of Service (QoS), the DGS-3630 Series can act as core, distribution or access ...




The ONV33052FM is a gigabit managed Ethernet fiber switch independently developed by ONV. It has 4\*100/1000Base-X SFP fiber ports and ...



Based on an x86 CPU, the Cisco Catalyst 9500 Series is Cisco's lead purpose-built fixed core and aggregation enterprise switching platform, built for security, IoT, and cloud. The switches ...



Full-width switches offer dual redundant, modular power supplies (select m4300 models) Non-stop forwarding (NSF) virtual chassis architectures with hitless failover across the stack. Stacking and ...



The Edgecore ECS4510 series includes high-performance Gigabit Ethernet Layer 2+ switches featuring 28 or 52 ports; 24 /48 10/100/1000BASE-T ports, two 10G SFP+ ports, and one 10G expansion slot ...



The ONV33052FM is a gigabit managed Ethernet fiber switch independently developed by ONV. It has 4\*100/1000Base-X SFP fiber ports and 48\*10/100/1000Base-T adaptive RJ45 ports. Each port can ...



RG-NBS5100-48GT4SFP, 52-Port Gigabit Layer 3 Non-PoE Switch Enterprise, Hospitality, Factory, Education, Retails etc.



The Edgecore ECS4100-28T/ECS4100-52T switch is a Gigabit Ethernet access switch with four 1G uplink ports. The switch is ideal for Internet Service Providers (ISPs) and Multiple System Operators ...



The D-Link DGS-1210 Series Smart Managed Switches are the latest generation of switches to provide increased Power over Ethernet (PoE) output, a range of physical interface types, multiple ...



H3C S5130S-EI series switches make switch management with ease with the support of SNMPv1/v2c/v3, which can be managed by NM platforms, such as Open View and iMC.



Highlights 48x Gigabit 802.3af/at PoE+ ports and 4x Gigabit SFP slots 384 W total PoE budget with up to 30 W PoE output per port\* Free cloud centralized management via the Festa app or the web† ...

## Contact Us

For more information, pricing, or custom energy solutions, please contact us:

Website: <https://www.gdroofing.co.za>

Email: [sales@gdroofing.co.za](mailto:sales@gdroofing.co.za)

Phone: +27 72 418 9365

Address: 22 Electron Avenue, Isando, Johannesburg, 1600, South Africa

This document is for informational purposes only. Specifications subject to change without notice.

