

## Custom-made flame-retardant optical cables



## Custom-made flame-retardant optical cables



Find your flame-retardant optical cable easily amongst the 51 products from the leading brands (LEMO, LAPP, SAB, ...) on DirectIndustry, the industry specialist for your professional purchases.



This FireTuf fibre range is fully compliant with fire resistant standards IEC 60331-25 and flame retardant standards IEC 60332-2-3-24C, guaranteeing the cables circuit integrity and performance in the event ...



As a manufacturer based in China's optical valley, we produce fire-rated optical cables using the same high-grade jacketing compounds (Lubrizol, Dow, etc.) used by major brands, but at a fraction of the ...



Lifeline® MC Cable is exclusively stocked by Priority Wire & Cable. We carry RHW-2 and RW90-Two-Hour Fire cables as well as Two-Hour Horizontal and One-Hour Vertical Cables. We also carry QFCI ...



Our fire-resistant fiber optic cables ensure data continuity in critical infrastructure worldwide, helping integrators, contractors, and telecom operators meet the highest CPR and IEC standards.



An isolated fire can develop into a large fire due to the rapid flame spread along cable communications. Our InFire Rated cables are designed to mitigate that risk and increase safety along the cables.



Fire-Resistant Optical Cables are specially designed to maintain data transmission integrity even in the event of a fire. Constructed with materials that resist combustion and prevent the spread of flames, ...



This case demonstrates that temperature-sensing cables are not merely simple alarm devices but serve as "proactive safety nerves" deeply embedded in critical industrial processes.



APAR offers 2F to 512 F optical fibre cables, in armoured and unarmoured designs. The cable ensures operation for 3 hours in fires up to 750°C. The cable is halogen-free and flame retardant, to protect ...



This innovative cable features a patented design that ensures functionality for over three hours in temperatures reaching 1000°C. It is halogen-free and flame-retardant, providing protection against ...

## Contact Us

For more information, pricing, or custom energy solutions, please contact us:

Website: <https://www.gdroofing.co.za>

Email: [sales@gdroofing.co.za](mailto:sales@gdroofing.co.za)

Phone: +27 72 418 9365

Address: 22 Electron Avenue, Isando, Johannesburg, 1600, South Africa

This document is for informational purposes only. Specifications subject to change without notice.

