







## Delta Industrial Switches



## Delta Industrial Switches

	<p>Have a question? We'd love to hear from you.</p>
	<p>Based on IEEE 802.3at standard up to 30Watts per port. Backward compatible with IEEE 802.3af. Max. VLANs: 4096.</p>
	<p>Except for the DVS-005I00, the DVS series switches are equipped with intelligent alarm function and allow a wide range of operating temperature (-40 to 75). The DVS series switches are designed to ...</p>
	<p>DVS-005W01 Product Introduction Features &amp; Benefits 12 to 48 VDC redundant terminal block power input Auto warning by relay output for link-down and power failure Compatible with various industrial ...</p>
	<p>High-end layer 2 management, redundant self-healing ring and operating within a temperature range of -40°C to 75°C for highly reliable networks. High-level EMC noise immunity of 3/4 complies with IEC ...</p>



Delta has just launched the Delta Industrial Ethernet Total Solution, which provides Ethernet products with enhanced hardware design, a user-friendly software interface, packet protection and ...



Delta's unmanaged industrial Ethernet switches provide a reliable network in harsh environments and can establish stable connections in extreme temperatures as well as noisy ...



Housing: IP40 aluminum metal case Dimensions: 145.3 mm (H) × 75 mm (W) × 108.7 mm (D) Weight: 490g Installation: Industrial DIN-Rail and wall mounting Environmental Limits



Industrial AutomationDelta is dedicated to providing innovative and reliable smart manufacturing solutions for global customers, keeping our promise of “ Digitized Automation for a Changing World”



Delta helps users construct a reliable industrial wireless network by the WLAN products compatible with multiple communication protocols, such as IEEE 802.11 a/n in 5GHz or IEEE 802.11 b/g/n in 2.4GHz.

## Contact Us

For more information, pricing, or custom energy solutions, please contact us:

Website: <https://www.gdroofing.co.za>

Email: [sales@gdroofing.co.za](mailto:sales@gdroofing.co.za)

Phone: +27 72 418 9365

Address: 22 Electron Avenue, Isando, Johannesburg, 1600, South Africa

This document is for informational purposes only. Specifications subject to change without notice.

