

Dimensions and weight of fiber optic splice box



Dimensions and weight of fiber optic splice box



Each tray holds up to 36 fibers with dome enclosure capacity ranging from 24 to 648 fibers. Splice trays are tightly fixed by a buckle when splicing, and with their multiple oval 0.98" (25 mm) and round ports ...



The FIMP-M splice box, compactly sized at 115 x 61 x 113 mm, offers a versatile and efficient solution for fiber optic connectivity. This splice box is equipped to accommodate a range of couplings, providing ...



Easy operation and good sealing grommets.




The FOSC-450 is a single-ended, environmentally sealed enclosure for fiber management in the outside plant network. FOSC-450 gel splice closures have the same splice capacity as FOSC-400 closures ...



Gross weight: 2KG Packing size: 42*18*10cm
Type: Horizontal Optical fiber tray: 4 pcs of 24 core splice tray
Port: 2 inlet 2 outlet Color: Black Show more



Similar to the 450 family, this is a family of single ended (butt) style fiber optic splice closures utilizing heat shrink cable sealing rather than gel. Other features include a removable dome, hinging splice ...



This family of enclosures provides improved splice management and access, a variety of modular cable port accessories and increased splice storage density in several housing sizes and capacities.



ct fiber optic cables and splices. The enclosure meets UL 508A, as well as NEMA typ. 4/12 or 4X/4/12, and IP66 rating. The enclosure shall be validated to accommodate a maximum of 360 fibers, using ...



APPLICATION LIGHTSPACE DPS Series Optical Splice Enclosures are designed to protect, manage, and organize fiber splices in a rack-mount environment. LGX® compatibility allows users to fill and ...



Photographs and graphics are not to scale and do not represent detailed images of the respective products.

Contact Us

For more information, pricing, or custom energy solutions, please contact us:

Website: <https://www.gdroofing.co.za>

Email: sales@gdroofing.co.za

Phone: +27 72 418 9365

Address: 22 Electron Avenue, Isando, Johannesburg, 1600, South Africa

This document is for informational purposes only. Specifications subject to change without notice.

