

## Dimensions of PDU power distribution units for rail transit



## Dimensions of PDU power distribution units for rail transit



The Cyberex PDU power distribution module provides mission critical power distribution to data centers.



Choose PDUs to match the voltage and current rating of the power connection. Single-phase or three-phase, vertical or horizontal PDUs with various outlet and plug combinations are available.



Rack- and Panel-Mount PDUs not only provide convenient, reliable power to equipment mounted in cabinets or on open frame racks, they can also be configured to meet a wide range of design ...



LanPro PDUs are a must when you need to distribute AC power inside your cabinets, racks and enclosures. Available in sizes ranging from 3 to 12 NEMA 5-15R outlets, including both formats ...



The ICT Intelligent DIN Power Distribution Unit is designed to provide DC power distribution to six individual outputs each rated at 15 A max. The integrated Ethernet controller provides reporting of ...



Note - 1 to 1.5 m (3.3 to 4.9 ft.) of the cords will be routed within the rack cabinet, so the site's AC power receptacle must be within 2m (6.6 ft.) of the rack.



Liebert MPX PDU provides power-related metering of inputs and outputs. This information can be conveyed to other public network devices via a rack PDU communications plug-in card (such as the ...



The PDU shall contain an internally powered 120VAC or 24VDC shunt trip mechanism to operate a local Emergency Power Off (EPO) and effectively interface with the WaveStar® monitoring system.



Our in-cabinet-mounted Power Distribution Units (PDUs) are manufactured from high-quality components to support all your mission-critical applications. Belden PDUs are designed to facilitate ...



LongXing PDUs has the features of include switch-free design, network-grade plugs and outlets, a power cord and cord retention tray, durable metal housing, and horizontal vertical mounting

## Contact Us

For more information, pricing, or custom energy solutions, please contact us:

Website: <https://www.gdroofing.co.za>

Email: [sales@gdroofing.co.za](mailto:sales@gdroofing.co.za)

Phone: +27 72 418 9365

Address: 22 Electron Avenue, Isando, Johannesburg, 1600, South Africa

This document is for informational purposes only. Specifications subject to change without notice.

