


# Dimensions of cold aisle for local area network server rooms



## Overview

According to the ANSI/TIA/EIA-942-A standard, the recommended width for a cold aisle is 1,2 meters, which typically corresponds to the size of two double floor tiles. Cold air is supplied via perforated tiles at the front of the cabinets, which is distributed to cabinet by fans. Efficient airflow management in data centers relies heavily on proper Hot Aisle and Cold Aisle configurations.

**Maximum Aisle Length:** When equipment cabinets form a continuous row.

With over 150 server rooms under our belt, we've refined airflow into a repeatable blueprint that works for any space under 1,500 square feet. Follow the steps below to protect your equipment, cut cooling costs, and keep your operations running smoothly. These dimensions, plus the "standard" 24-inch by 42-inch rack, have led to the common "seven-tile pitch" design, with two rows of cabinets in a space. Data center operators seeking cost-effective cooling improvements are turning to cold aisle containment as the most retrofit-friendly solution for immediate efficiency gains. With typical cooling energy reductions of 20-35% and payback periods under three years, CAC systems offer the fastest path. Aisle containment is a cooling system that completely separates the cold supply airflow from the hot equipment exhaust

air.

## Dimensions of cold aisle for local area network server rooms



Hot and cold aisle containment is a proven strategy to optimize airflow, reduce energy costs, and improve cooling efficiency. At Profile IT Solutions, we specialize in designing and implementing ...



Aisle containment ceilings, walls and end of row doors are designed to help maintain optimal operating temperature in server rooms and data centres in order to lower data centre energy demands and ...



According to the ANSI/TIA/EIA-942-A standard, the recommended width for a cold aisle is 1,2 meters, which typically corresponds to the size of two double floor tiles.



Complete cold aisle containment guide for data centers. Learn CAC benefits, implementation steps, and achieve 35% cooling cost reduction.



Cold aisle containment systems use doors at aisle ends, ceiling panels or lids above racks, and structural frames to create enclosed zones where cold supply air flows directly to IT equipment intakes.



Follow Camali Corp's 6-step guide to design a server room layout that cuts cooling costs, boosts uptime, and optimizes airflow with hot/cold aisle design.



Floor tiles, which are 2 feet by 2 feet, are used as a standard measurement in data center layouts. A cold aisle is generally two tiles or 4 feet ...



Following a collaborative, customer-driven approach, we provide the best containment options for each project. Whether ceiling hung or integrated with aisle structure, our containment solutions are ...



The goal of a hot or cold aisle configuration is to conserve energy and lower cooling costs by managing air flow signing the proper containment system requires lining server racks in rows (or aisles) with ...



Floor tiles, which are 2 feet by 2 feet, are used as a standard measurement in data center layouts. A cold aisle is generally two tiles or 4 feet wide for comfortable walking space and access to ...



Proper aisle planning isn't just about airflow—it's about optimizing safety, serviceability, and system efficiency. By adhering to these length and width standards, data center designers can enhance ...

## Contact Us

For more information, pricing, or custom energy solutions, please contact us:

Website: <https://www.gdroofing.co.za>

Email: [sales@gdroofing.co.za](mailto:sales@gdroofing.co.za)

Phone: +27 72 418 9365

Address: 22 Electron Avenue, Isando, Johannesburg, 1600, South Africa

This document is for informational purposes only. Specifications subject to change without notice.

