

GDR Telecom Site Energy Systems

Double-hole ceramic ferrule

Focus creates quality products



Double-hole ceramic ferrule



Preciva 800PCS Double Wire Ferrule Kit - Dual Barrel Ferrules Connectors for AWG 22-7, Ideal for Electrical, Industrial, and DIY Projects 50+ bought in past month



Thorlabs offers FC/PC connectors with 2.0 mm narrow keys and ceramic ferrules. Our smaller bore connectors (Item #s 30128C3, 30140E1, and 30150C1) accommodate our small-core multimode fibers.



Ceramic ferrules must have extremely accurate bore diameters to allow fibers to line up correctly and transmit data without losing power or experiencing poor connectivity. Any deviation will ...



High performance fiber optic connectors used in environments requiring durability after repeated mating, Low insertion loss and low back reflection.



Our patent-pending ProLok™ twist and lock two-piece ceramic ferrules have several advantages over traditional one-piece systems and offer increased reliability over traditional two-piece ferrules.



Our Standard Ferrules are typically used as sub-components within fiber optic connectors, but can also be integrated in various specialized applications. They are made of zirconia ceramic, which offers the ...



PFP SC 2.5mm OD Multimode Ceramic Zirconia Ferrule Assemblies From \$1.70 Excluding Sales Tax Add to Cart



These ferrules are available in both ceramic and stainless steel and are designed to meet the space requirements of specialty applications. They come with a variety of hole sizes, making them ...



All the ceramic ferrule adopted in JFOPT's is from CCTC, which have higher precision and more accurate micro size and appearance. The high-quality ferrule is the key of high stability and better ...



Choose from our selection of 2" ferrules, including over 1,800 products in a wide range of styles and sizes. Same and Next Day Delivery.

Contact Us

For more information, pricing, or custom energy solutions, please contact us:

Website: <https://www.gdroofing.co.za>

Email: sales@gdroofing.co.za

Phone: +27 72 418 9365

Address: 22 Electron Avenue, Isando, Johannesburg, 1600, South Africa

This document is for informational purposes only. Specifications subject to change without notice.

