


## Egypt ADSS optical cable suspension pre-twisted wire



## Egypt ADSS optical cable suspension pre-twisted wire



ADSS downline clamp for pole, pre twisted tension resistant suspension cable clamp, optical cable fittings, residual cable rack, tower fixture



High Quality Fiber Optic Cable Lc - ADSS Optical Cable Suspension Clamp Assembly - GL Technology



According to the model and parameter requirements of ADSS optical cables, we can provide suspension clamps with different pitches, tensions, and outer diameters, which are divided into tangent clamps ...



This product is a combination of wire clip, equipped with two sets of aluminum splint, two sets of rubber fixture, a set of outer pre-twisted wire and a set of wire protectors pre-twisted wire.



It is not only used for supporting the overhead cable but also used for fixing, installation or pulling cable during the construction. Feature: Simple structure and convenient installation.



High Tension Strength: With a rated tension strength of over 10kn, this product is capable of withstanding heavy loads and providing reliable support for ADSS/OPGW cables.



ADSS Optical Cable Suspension Clamp Model Specifications (Double-layer Pre-twisted Wire Design; Clamp Breaking Strength Not Less Than 70 kN; Grip Force Not Less Than 15% of the Optical ...



RLB is a preferred supplier of wire & cable materials and a reliable provider of stranding machine, systems and solutions. Our representative products are wire stranding machine, bunching ...



ADSS pre-twisted wire suspension clamps are mainly used for overhead self-supporting ADSS optical cable lines for hanging optical cables, similar to ordinary suspension clamps. It is recommended to ...

## Contact Us

For more information, pricing, or custom energy solutions, please contact us:

Website: <https://www.gdroofing.co.za>

Email: [sales@gdroofing.co.za](mailto:sales@gdroofing.co.za)

Phone: +27 72 418 9365

Address: 22 Electron Avenue, Isando, Johannesburg, 1600, South Africa

This document is for informational purposes only. Specifications subject to change without notice.

