



## Fiber optic splitter splits 32



## Fiber optic splitter splits 32



A 1×32 PLC (Planar Lightwave Circuit) Splitter utilizes advanced silica optical waveguide technology to split one input fiber signal into 32 uniform output signals.



The M2 2x32 POL Splitter is a point to multipoint cassette designed to split 2 LC connectors to 32 LC connectors over a Passive Optical LAN (POL) that provides the capability to securely deliver voice, ...



Enable the efficient distribution and sharing of optical signals in FTTX and PON networks. Efficiently split optical signals into 32 channels to connect multiple network devices simultaneously. Ensure reliable ...



The M2 2x32 POL Splitter is a point to multipoint cassette designed to split 2 LC ...



Discover a wide range of reliable fiber optic splitters. Our PLC and FBT splitters offer low loss and various split ratios for FTTH, PON, and CATV networks.



This PLC Splitter is a 1x32, with 1 input and 32 output fibers with an even split ratio across all fibers regardless of input wavelength. PLC Splitters are available with 900µm loose tube singlemode fiber ...



It can save time and space but still provides reliable protection for the fiber optic cable. The 1x32 LGX PLC splitter is usually installed in the wall mount FTTH box for fiber optical signal distribution.



A **1x32 optical splitter** is a passive optical device that takes one input fiber and splits it into 32 output fibers. This allows a single optical signal to be transmitted to multiple endpoints ...



It is designed for Fiber-to-the-x (FTTx) network deployments and splits a single optical signal from a feeder cable into 32 separate outputs for distribution to subscribers. Plug-and-play design: This ...



A fiber optic splitter is a passive optical component that divides a single incoming optical signal into two or more outgoing signals, or combines multiple incoming signals into one. Unlike ...

## Contact Us

For more information, pricing, or custom energy solutions, please contact us:

Website: <https://www.gdroofing.co.za>

Email: [sales@gdroofing.co.za](mailto:sales@gdroofing.co.za)

Phone: +27 72 418 9365

Address: 22 Electron Avenue, Isando, Johannesburg, 1600, South Africa

This document is for informational purposes only. Specifications subject to change without notice.

