

Flame-retardant single-mode fiber optic cable




Flame-retardant single-mode fiber optic cable



Lifeline® QFCI is the first UL flame listed optical cable designed for indoor/outdoor use in vital communication and emergency systems that need to be operational during fire. The cable has a ...



ETK Kablo's B2ca-classified fiber optic range provides low smoke emission, zero halogen content, and exceptional flame retardance. The design ensures data link continuity even during extended fire ...



Corning FREEDM® One plenum cables are flame-retardant, UV-resistant, indoor/outdoor cables designed for aerial and duct applications with no need for a transition splice when entering the building.



- Roadway Tunnels Lifeline® QFCI is the first UL flame listed optical cable designed for indoor/outdoor use in vital communication and emergency systems that need to be operational during fire.



Hermesys ChimeraX™ series SWA Fire Resistant Cable is a steel wire armored (SWA) fiber optic cable designed for fire-resistant and high-durability applications. It features 4, 12, 24, 48, 72, 96, 144 cores of ...



Single mode are available which are Flame Retardant and Tight Buffered. Jackets can be LSZH, PVC, TPU, etc. Cables are colour coded depending on the type of Fibre.



Unitube Fire-Survival cables offer up to 24 fibers in a compact cable construction. Cables are specially designed to withstand the strict flammability tests of IEC 60331-25.



FireTuf fibre optic cables are manufactured by Prysmian Draka. Offered in OM1, OM3 and OM4 multimode and OS2 singlemode, in 4, 8, 12 or 24 core fibre configurations.



This innovative cable features a patented design that ensures functionality for over three hours in temperatures reaching 1000°C. It is halogen-free and flame-retardant, providing protection against ...



Fire resistant fiber optic cables for critical infrastructure and emergency systems. Up to 180 min at 850°C, IEC compliant, custom B2B designs.

Contact Us

For more information, pricing, or custom energy solutions, please contact us:

Website: <https://www.gdroofing.co.za>

Email: sales@gdroofing.co.za

Phone: +27 72 418 9365

Address: 22 Electron Avenue, Isando, Johannesburg, 1600, South Africa

This document is for informational purposes only. Specifications subject to change without notice.

