


Gel-sealed linear connector box



Gel-sealed linear connector box



Pre-filled Gel Connectors ideal for sealing, protecting and make safe electrical connections.



The box is already prefilled with gel and seals the connection immediately, allowing electrical systems to be deployed right after installation without interruption - quickly, easily and reliably.



This Solution is Compatible with a Wide Range of WAGO Connectors, Including WAGO 221, WAGO Lever Nuts, and WAGO Inline Wire Connectors. Free from Silicone, the Gelbox is Ideal for Use in ...



Find waterproof gel boxes designed for electrical connector protection. WAGO Gel Boxes ensure reliable performance in wet conditions.



5630/////26 Miniature Paguro gel connector junction box black, 2 cable entry 6-8mm with 2 pole terminal block Datasheet CAD Line Drawing Quote Me




The box is prefilled with gel and seals the connection immediately, allowing electrical systems to be deployed right after installation without interruption - quickly, easily and reliably.



A simple way to bring indoor connectors outdoors
Pre-filled gel accessories for sealing, protecting and making safe electrical connections



It is available in nine sizes. Each box has a terminal diagram that specifies a fixed assignment depending on what connectors will be used.



WAGO's gelboxes achieve reliable moisture protection for splicing connectors more quickly and easily than previous solutions. They are ready for immediate use in a wide range of low- ...



- The complete system consisting of Gelboxes & WAGO Splicing Connectors is IPX8-certified
- Excellent protection when Gelbox is only combined with 221/2773 Series Connectors; always the perfect gel ...

Contact Us

For more information, pricing, or custom energy solutions, please contact us:

Website: <https://www.gdroofing.co.za>

Email: sales@gdroofing.co.za

Phone: +27 72 418 9365

Address: 22 Electron Avenue, Isando, Johannesburg, 1600, South Africa

This document is for informational purposes only. Specifications subject to change without notice.

