

Liechtenstein Tunable Optical Module 1G



Liechtenstein Tunable Optical Module 1G



The tunable SFP+ optical transceiver is a full duplex serial electric, serial optical device with both transmit and receive functions contained in a single module that provides a high-speed serial link at ...



The module supports data rates from 9.95 Gbps to 11.3 Gbps and is provided in an SFP+, MSA-compliant package. The optical transmitter utilizes the Lumentum ...



Store.QSFPTEK 1G SFP transceivers provide wide selection for various Gigabit Ethernet applications, such as 100+ vendors compatibility, copper/fiber, SMF/MMF, 100m to 80km.



The module supports data rates from 9.95 Gbps to 11.3 Gbps and is provided in an SFP+, MSA-compliant package. The optical transmitter utilizes the Lumentum tunable ILMZ chip to provide a high ...



The TSFP-NBx-120 optical transceiver module is a tunable SFP designed for 1G Ethernet applications. Operating within the narrow DWDM band (ITU channels 20 to 60), this transceiver enables flexible ...

	<p>1G SFP LX 20km • Supports data rates of 1.25Gb/s • Compliant with SFP MSA • Hot-pluggable SFP footprint</p>
	<p>FC SFP+ for SAN - Available in multi-service (1G-11.3G FC) and FC-only (4G-16G FC) versions, designed for data center storage networking, from top-of-rack to inter-data center links.</p>
	<p>Full Spectral Coverage: This 1G tunable solution is a two-part offering that covers a broad range of 40 channels across the C-Band, specifically ITU channels 21 through 60.</p>
	<p>The TSFP1G-100 (I) optical transceiver module supports 1G Ethernet transmission over ultra-long distances of 100+ kilometers using tunable dense wavelength division multiplexing (DWDM) ...</p>
	<p>1000BASE-ZX and Fiber Channel 1x SM-LC-L FC-PI. It is with the S P 20-pin connector to allow hot plug capability. This module is designed for single mode fiber and operates at a nominal wave length ...</p>
	<p>Discover reliable and versatile 1G SFP optical transceivers fully compatible with Cisco, Huawei, Juniper, Arista, and more. Choose from SX, LX, and TX modules.</p>

Contact Us

For more information, pricing, or custom energy solutions, please contact us:

Website: <https://www.gdroofing.co.za>

Email: sales@gdroofing.co.za

Phone: +27 72 418 9365

Address: 22 Electron Avenue, Isando, Johannesburg, 1600, South Africa

This document is for informational purposes only. Specifications subject to change without notice.

