

## Manufacturer s 24-pin cold connector



## Manufacturer s 24-pin cold connector



Pricing (USD) Filter the results in the table by unit price based on your quantity. A tariff of 27% may be applied if shipping to the United States. A tariff of 12% may be applied if shipping to the United States.



Our Cryogenic connectors are made from materials that can withstand repeated thermal cycling and use only the best gold-plated electrical contacts. We provide a complete range of circular multipole, ...



Choose from our selection of 24 pole pin connectors, including over 100,700 products in a wide range of styles and sizes. Same and Next Day Delivery.



The SCBrtc Connector Series will mostly be installed on cryostats which not stay at room temperature all time. During cooldown or cryogen filling they can often become cold enough to condense water on, ...



Mouser offers inventory, pricing, & datasheets for 24 Position Pin & Socket Connectors.



3. 24 Pins: The connector has 24 pins, with a detachable 4-pin section, making it backward compatible with older 20-pin connectors. These pins supply different voltages (e.g., +3.3V, ...



har-flex IDC connector 24pin PL1 - 15290242501000 - HARTING Connectivity & Networks. Category: Connectors, Series: har-flex®, Identification: Signal.



Browse 24-pin ATX connectors and extension cables for PC builds. Find male, female, and adapter options for seamless connections.



Approx 22.5 mm length, including pins . Approx 12mm dia.



Glenair ThermaRex interconnect solutions are designed to survive and excel in high continuous operating temperature application environments up to 600°C. For Electrical Wire Interconnect ...

## Contact Us

For more information, pricing, or custom energy solutions, please contact us:

Website: <https://www.gdroofing.co.za>

Email: [sales@gdroofing.co.za](mailto:sales@gdroofing.co.za)

Phone: +27 72 418 9365

Address: 22 Electron Avenue, Isando, Johannesburg, 1600, South Africa

This document is for informational purposes only. Specifications subject to change without notice.

