


Mozambique DAC High-Speed Cable QSFP28



Mozambique DAC High-Speed Cable QSFP28



QSFP28 direct attach cable with a 100 Gbps max data rate.




FS 100G DAC/AOC cable, passive/active DAC from 0.5m to 10m and FS QSFP28 AOC from 1m to 100m cable, cost-effective alternative for 100G Ethernet short links between QSFP+ ports of switches.



Passive copper DAC cable assemblies feature foldable, flexible twinax cable that can be folded back on itself for environments where space is limited. The assemblies ...



Offered in a broad range of wire gages (from 30AWG through 26AWG), this 100G copper cable assembly features low insertion loss and low cross talk. QSFP28 form factors can be used with ...



By incorporating QSFP28 Passive DAC Cable Assemblies into the physical infrastructure, businesses can achieve 100 Gigabit performance port-to-port without additional signal processing or conversion, ...



Tripp Lite's QSFP28 to QSFP28 Direct Attach Cables combine four SFP channels operating at up to 28 Gbps into one affordable 100GbE cable. Ideal for data centers, high-end servers and enterprise ...



Our QSFP28 Cables are the first to integrate Amphenol Spectra-Strip's EXF SKEWCLEAR wire, offering a flat frequency response beyond 20 GHz. Our QSFP28 connectors add an extended EMI cage and ...



Passive copper DAC cable assemblies feature foldable, flexible twinax cable that can be folded back on itself for environments where space is limited. The assemblies help maximize airflow for effective ...



The cable assembly's 38 position printed circuit card has been designed to accommodate not only the industry (SFF) defined, but also the higher-bandwidth signal integrity requirements associated with ...



Supports current 10 Gbps Ethernet, 14 Gbps (FDR) InfiniBand and 16 Gbps Fibre Channel applications.



FS QSFP28 DAC cable, passive/active DAC from 0.5m to 10m and FS QSFP28 AOC from 1m to 100m cable, cost-effective alternative for 100G Ethernet short links between QSFP+ ports of switches.

Contact Us

For more information, pricing, or custom energy solutions, please contact us:

Website: <https://www.gdroofing.co.za>

Email: sales@gdroofing.co.za

Phone: +27 72 418 9365

Address: 22 Electron Avenue, Isando, Johannesburg, 1600, South Africa

This document is for informational purposes only. Specifications subject to change without notice.

