

## Optical Communication FAU Module



## Optical Communication FAU Module



Including: lidness FAU, bending FAU, 45 degree reflection FAU, 2D FAU, splicing FAU, high temperature FAU, high return loss FAU, low loss FAU, gold plated FAU, AR coated FAU, high ...



An FAU can be put inside a reconfigurable optical add-drop multiplexer (ROADM) and function as an optical transmission for the wavelength selective switch (WSS) to switch traffic ...



As a professional optical fiber array unit manufacturer, MEISU offers the most extensive selection of linear fiber arrays for different applications by providing ...



The new ultra-compact FAU is designed to help switch manufactures solve bandwidth and density bottlenecks in data center switches with 35% denser for ...




Designed for high-precision fiber alignment for advanced optical applications. Neptec's Fiber Array Unit (FAU) is designed for superior stability and low insertion loss, enabling reliable performance in chip ...



This note will cover the requirements of accurate IL/RL testers, challenges with other testing methods, and explains how the MAP-300, with VIAVI's decades of industry-leading expertise, can deliver on ...



Focuslight provides key optical components for FAUs, including engineered V-groove arrays and protective lids, ensuring precise fiber alignment and durability.



As a professional optical fiber array unit manufacturer, MEISU offers the most extensive selection of linear fiber arrays for different applications by providing customizable V-groove block & id, precise ...



The new ultra-compact FAU is designed to help switch manufacturers solve bandwidth and density bottlenecks in data center switches with 35% denser for fibers in a given FAU width.



Optical fiber array units (FAU) are essential devices for high-precision connection of optical waveguide elements and optical fibers in coherent optical fiber systems, co-packaged optics and other fiber ...



FAU (Fiber Array Unit) multifiber assemblies offer high-density, high bandwidth solutions for the new era of fiber optic applications, including telecommunications, data centers, silicon photonics, defense and ...



Fiber array Unit (FAU) Features. · Customizable V-Groove size to meet different applications. · Full lid/recessed lid/no lid, 0.1mm minimum thickness for the lid. · Angles can be customized as needed. · ...

## Contact Us

For more information, pricing, or custom energy solutions, please contact us:

Website: <https://www.gdroofing.co.za>

Email: [sales@gdroofing.co.za](mailto:sales@gdroofing.co.za)

Phone: +27 72 418 9365

Address: 22 Electron Avenue, Isando, Johannesburg, 1600, South Africa

This document is for informational purposes only. Specifications subject to change without notice.

