

Optical splitter with downward tilt



Optical splitter with downward tilt




Flipping mirror/beamsplitter mount 840-0155-04 accepts optics of thickness of 7 mm. Designed for 2 inch (50.8 mm) optics.



PPC Optical Splitters are available for symmetrical splitting into 2, 4, 8, 16, or 32 divisions and can be cascaded to spread out splits into smaller, optimized serving areas.



Our beam splitters are made from high grade glass material with laser grade surface flatness & surface quality for tighter tolerance on the splitting ratio.



There are two main manufacturing technologies for optical splitters, each with its own advantages and ideal use cases. The choice between them depends on your application requirements.




CommScope offers a portfolio of bare and connectorized splitters/couplers in a wide range of styles and split ratios, and splitter modules for inside plant (ISP) and outside plant (OSP) applications that help ...




Beamsplitters are optical components used to split input light into two separate parts. Beamsplitters are common components in laser or illumination systems. Beamsplitters are also ideal for fluorescence ...



Custom beam splitters for lasers, photonics, and imaging. Plate, cube, polarizing, and dichroic tailored to your wavelength and specs.



Discover optical fiber splitters designed for home theaters and gaming consoles. Aluminum construction for durability.



There are two main manufacturing technologies for optical splitters, each with its own advantages and ideal use cases. The choice between them ...



Thorlabs offers a wide range of optical beamsplitters. Our plate beamsplitters have a coated front surface that determines the beam splitting ratio while the back surface is wedged and AR coated in ...



Keysight's family of precision beamsplitters split light by polarization, amplitude, or wavelength. They are available in cube, plate, and displacement geometries.

Contact Us

For more information, pricing, or custom energy solutions, please contact us:

Website: <https://www.gdroofing.co.za>

Email: sales@gdroofing.co.za

Phone: +27 72 418 9365

Address: 22 Electron Avenue, Isando, Johannesburg, 1600, South Africa

This document is for informational purposes only. Specifications subject to change without notice.

