

Polarization-maintaining tunable optical attenuator



Polarization-maintaining tunable optical attenuator



AFR's MEMS Variable Optical Attenuator is based on an electrostatic driven micro-electro-mechanical-system (MEMS) chip. The MEMS chip consists of a tilting mirror to change light coupling between ...



The MEMS attenuator design achieves highly repeatable optical attenuation over C and/or L bands through a thermally-actuated reflective vane that intercepts light.



Designed for precision optical power control, the Polarization-Maintaining (PM) Variable Optical Attenuator is an essential tool for testing and optimizing optical components and systems.



Santec Holdings Corporation, a leading manufacturer of advanced optical components, tunable lasers, optical test equipment, and OCT systems, announces the product launch of the ...



Thorlabs' Polarization-Maintaining Variable Optical Attenuators (PM VOAs) allow the user to manually vary the attenuation of a signal for precise power balancing in fiber circuits or evaluation of the ...



The polarization maintaining adjustable fiber attenuator provided by JCOPTIX can be manually adjusted, which is flexible, convenient, and highly stable. It not only meets the needs but also expands the ...



DiCon's MEMS Variable Optical Attenuator (VOA) allows for a precise amount of attenuation to be added to an optical path in polarization maintaining fiber applications.



For the first time, polarization-preserving, high-speed attenuation is available in a compact package. Boston Applied Technologies' Polarization Maintaining Variable Optical Attenuator (PM-VOA) ...



Thorlabs has a wide variety of single mode (SM), polarization-maintaining (PM), or multimode (MM) fixed and variable optical attenuators (VOAs). We offer SM and PM electronic VOAs that provide control of ...



Description: 850nm Polarization Maintaining Mechanical Variable Optical Attenuator, P grade, Standard size, 1.0m PM780-HP Panda Fiber with 0.9mm OD loose tube, and FC/APC connectors at all ports.

Contact Us

For more information, pricing, or custom energy solutions, please contact us:

Website: <https://www.gdroofing.co.za>

Email: sales@gdroofing.co.za

Phone: +27 72 418 9365

Address: 22 Electron Avenue, Isando, Johannesburg, 1600, South Africa

This document is for informational purposes only. Specifications subject to change without notice.

