

Price of fireproof sealing for through-wall cable trays



Price of fireproof sealing for through-wall cable trays



Choose appropriate fire protection materials, such as fire-rated board, firestop packs, firestop mastic, or fire-resistant mineral wool. Firestop packs ...



FIRSTO is specifically suitable for the fire resistant ducting of cables and/or cable trays through wall and floor penetrations. No other firestop can offer the high level of security with the flexibility, time and ...



3M™ Fire Barrier Putty Sleeve Kits are designed to help prevent the passage of fire and smoke in new or existing cable penetrations through walls or floors. These kits are tested up to 4 hours for fire-rated ...



AF BAGS are intumescent and ablative fireproof pillows certified under EN 1366-3 for EI 120/180 sealing of cable tray penetrations.



Seal cable penetrations with our modular firestop solutions, designed to create water-, smoke- and gas-tight barriers in energy and industry projects both onshore and offshore.



Choose appropriate fire protection materials, such as fire-rated board, firestop packs, firestop mastic, or fire-resistant mineral wool. Firestop packs should be placed in an orderly sequence.



Our premium, intumescent latex/water-based caulk. This is an affordable firestop caulk that helps you stay on budget. Its unique intumescent property allows IC 15WB Caulk to effectively contain fire and ...



CSD FIRTO® firestops are designed to seal multi-cable and cable tray penetrations of fire-rated walls or floors. FIRTO® utilizes a metal frame that encompasses the entire cable run, cable tray with ...



Firestop passthroughs and collars install in an opening in a fire-rated wall to ensure the wall retains its fire rating. The opening allows wires, cable, and conduit to pass through the wall while maintaining ...



Ideal for commercial and technology-rich environments, SpecSeal Ready Sleeve kits simplify cable sleeve installation while delivering fire, smoke, and air-leakage resistance.



Fabricated cable tray sleeves, with or without firestop products, are an economical alternative to the high cost of fabricating penetration sleeves in the field. Sleeves provide a rigid support for cable tray in a ...

Multi-Cable and Cable-Tray Firestop Penetrations 10 Reasons to Count on CSD Firsto For Your Firestop Needs Installation Instructions & Sample Specifications Part Numbering MSDS Sheets CSD FIRSTO® firestops are designed to seal multi-cable and cable tray penetrations of fire-rated walls or floors. FIRSTO® utilizes a metal frame that encompasses the entire cable run, cable tray with cable or bus duct at the point of penetration. Fire-resistant cellular rubber inter-layered with intumescent pads provides a U.L. classified firestop ... See more on [dorncsd](#)

```
.rcimgcol .cico {
background: #f5f5f5; } .b_drk .rcimgcol .cico, .b_dark .rcimgcol .cico { background:
unset; } .b_imgSet .b_hList li.square_m, .b_imgSet .b_hList
li.tall_m {width:75px} .b_imgSet .b_hList li.tall_mlb {width:113px} .b_imgSet .b_hList
li.tall_mln {width:96px} .b_imgSet .b_hList li.wide_m {width:128px} .b_imgSet .b_Card
.b_hList li {padding-left:1px; padding-right:9px} .b_imgSet .b_Card .b_hList
li.tall_wfn {width:80px; padding-right:6px} .b_imgSet .b_Card .b_hList li:last-
child {padding-right:1px} .b_imgSet .b_Card .b_imgSetData {padding:0 8px
8px; height:40px} .b_imgSet .b_Card .b_imgSetItem {box-shadow:0 0 1px
rgba(0,0,0,.05), 0 2px 3px 0 rgba(0,0,0,.1); border-
radius:6px; overflow:hidden} .b_imgSet .b_imgSetData p a {color:#444; outline-
offset:0} .b_subModule .b_clearfix .b_mhdr .b_floatR .b_moreLink, .b_subModule
.b_clearfix .b_mhdr .b_floatR .b_moreLink:visited, .b_subModule > .b_moreLink, .b_subMo
dule > .b_moreLink:visited {color:#767676} .b_imgSet .cico .b_placeholder {display:flex;
justify-content:center; background-color:#f5f5f5; background-clip:content-
box} .b_imgSet .cico .b_placeholder a {display:flex} .b_imgSet .cico .b_placeholder a
img {width:48px; height:48px; margin:auto} @media(max-width:1362.9px) {#b_context
.b_entityTP .b_imgSet li:nth-child(5) {display:none} .b_imgSet .b_hList li.wide_m:nth-
child(3) {display:none}} @media(max-width:1274.9px) {#b_context .b_entityTP
.b_imgSet li:nth-child(4) {display:none} .b_imgSet .b_hList li.wide_m:nth-
child(2) {display:none}} .rcimgcol .b_imgSet {content-visibility:auto; contain-intrinsic-
size:1px 124px} .rcimgcol {height:108px; padding-top:var(--smtc-gap-between-content
-x-small); padding-bottom:var(--smtc-gap-between-content-x-
small)} .b_algo:has(.b_agh) .rcimgcol {padding-top:var(--smtc-gap-between-content-xx-
small)} .rcimgcol .b_imgSet {overflow:hidden} .rcimgcol .b_imgSet ul {overflow-
x:auto; overflow-y:hidden; white-space:nowrap; padding-left:0} .rcimgcol .b_imgSet
ul::-webkit-scrollbar {webkit-appearance:none} .rcimgcol .b_imgSet
.b_hList > li {padding-right:var(--smtc-padding-ctrl-text-side)} .rcimgcol .b_imgSet
.cico {border-radius:unset} .rcimgcol .b_imgSet .b_hList > li:first-child .cico, .rcimgcol
.b_imgSet .b_hList > li:first-child .cico a {border-radius:unset; border-top-left-radius:var(
--mai-smtc-corner-card-default); border-bottom-left-radius:var(--mai-smtc-corner-card-
default); overflow:hidden} .rcimgcol .b_imgSet .b_hList > li:last-child .cico, .rcimgcol
.b_imgSet .b_hList > li:last-child .cico a {border-radius:unset; border-top-right-radius:var(
--mai-smtc-corner-card-default); border-bottom-right-radius:var(--mai-smtc-corner-
card-default); overflow:hidden} .rcimgcol .rcimgcol .b_sideBleed {margin-
left:unset; margin-right:unset} .rcimgcol .b_imgclgovr {cursor:pointer} .rcimgcol
.b_imgclgovr .cico img: hover {transform:scale(1.05); transition:transform .5s
ease} #b_content #b_results > .b_algo .b_caption:has(.rcimgcol) {padding-right:var(--
mai-smtc-padding-card-default); margin-right:calc(-1*var(--mai-smtc-padding-card-def
ault)); margin-left:calc(-1*var(--mai-smtc-padding-card-default)); padding-left:var(--mai-
smtc-padding-card-default)} .rcimgcol .b_imgSet .b_hList .cico a {display:flex; outline-
```

```
offset:-2px} sightsOverlay,#OverlayIFrame.b_mcOverlay sightsOverlay{position:fixed
;top:5%;left:5%;bottom:5%;right:5%;width:90%;height:90%;border:0;border-radius:1
5px;margin:0;padding:0;overflow:hidden;z-index:9;display:none} #OverlayMask,#Ove
rlyMask.b_mcOverlay{z-index:8;background-
color:#000;opacity:.6;position:fixed;top:0;left:0;width:100%;height:100%}.rcimgcol
.b_hList>li{position:relative;padding-bottom:0}.rcimgcol .b_hList>li .iacf_smol{pointe
r-events:none;border-top-right-radius:var(--mai-smtc-corner-card-default);border-
bottom-right-radius:var(--mai-smtc-corner-card-default);white-
space:normal}.rcimgcol .b_hList .cico{margin-bottom:0}.iacf_smol{display:flex;justif
y-content:center;align-items:center;gap:var(--smtc-gap-between-content-xx-small);wi
dth:100%;height:100%;background:rgba(0,0,0,.6);position:absolute;left:0;top:0;color:
var(--mai-smtc-foreground-ctrl-on-image-rest);font:var(--bing-smtc-text-global-body2-
strong);flex-wrap:wrap;align-content:center;text-align:center}.iacf_smol:hover{text-
decoration:underline}.iacfmit[data-nohov] .iacfimgc .cico
img{transform:none}p>.news_dt{color:#767676}Hilti USA
```

Contact Us

For more information, pricing, or custom energy solutions, please contact us:

Website: <https://www.gdroofing.co.za>

Email: sales@gdroofing.co.za

Phone: +27 72 418 9365

Address: 22 Electron Avenue, Isando, Johannesburg, 1600, South Africa

This document is for informational purposes only. Specifications subject to change without notice.

