

Recommended Models for Fan Distribution Boxes




Recommended Models for Fan Distribution Boxes



The Air Excellent DB824 is designed to radially distribute air from a ventilation ...



Air distribution products--grilles, register, diffusers (GRD), and air terminal units (ATU) offer functional and aesthetic value to HVAC systems. ATU's (VAV boxes) regulate airflow for maximum comfort.



From air distribution systems and linear plenum boxes to mini-split accessories and air conditioning parts, every product is built for precision airflow, durability, and fast installation.



This section describes the key factors involved in fan selection and system design and provides an overview of different types of fans and the applications for which they are generally used. Users ...



Our building fan distribution boxes are designed to provide stable power supply for ventilator and HVAC systems. With robust construction and efficient performance, they ensure optimal operation in various ...



Our advanced PMEC-powered fan arrays, also known as fan walls, are designed to maximize performance while reducing energy consumption, generating considerable energy bill savings for ...



Find the correct ASP fan for your project according to fan type, voltage, frequency, air flow, air density, external pressure, and more. See which AHUs fit your residential application by supply and extract ...



Additional options like job specific dimensions, special fans, silencers, inlet side dampers (electric or gravity operated) and diverter boxes are available to meet unique project requirements.



Nailor Fan Powered Terminal Units provide many standard features and superior sound performance when compared with other basic model designs, offering a compact and economical design well ...



Below is an example of control sequence for the fan powered VAV box for an area that requires a constant exhaust. Consider a restroom area that requires a constant exhaust of 1 to 1.8 cfm per ...



The Air Excellent DB824 is designed to radially distribute air from a ventilation unit, minimizing system pressure drop, fan energy use, and sound levels. It is compatible with Aerfoam insulated ducts and ...

Contact Us

For more information, pricing, or custom energy solutions, please contact us:

Website: <https://www.gdroofing.co.za>

Email: sales@gdroofing.co.za

Phone: +27 72 418 9365

Address: 22 Electron Avenue, Isando, Johannesburg, 1600, South Africa

This document is for informational purposes only. Specifications subject to change without notice.

