

GDR Telecom Site Energy Systems

Relay Protection 16



Relay Protection 16



Protective relays and devices have been developed over 100 years ago to provide “lastline” of defense for the electrical systems. They are intended to quickly identify a fault and isolate it so the balance of ...



Engineered to handle dimming functions alongside external fault protection, this power supply unit ensures optimal performance even in low temperature and high humidity environments.



Buy 16A Power Relays. Newark Electronics offers fast quotes, same day dispatch, fast delivery, wide inventory, datasheets & technical support.



It provides system power and manages lighting loads. The power pack converts Class 1 line voltage (120/277 VAC) to Class 2 15 VDC. An internal 16 A latching relay is used to control lighting loads, ...



The nPP16 EFP family is capable of switching loads via an internal latching relay designed with robust protection from the harsh switching requirements of T5 fluorescent and LED loads.



16 Channel 24Vac/dc Relay Module With Fuse Protection, DIN Rail Mount, SPDT, 24Vac/dc Input, 250Vac Output, 16A, - Save More with ASI Industrial Components.



nLight nPP16-D-EFP Power / Relay Pack, 0-10VDC Dimming, External Fault Protection, Auto-On, 120-277VAC



16-1-H-P Time Mark Protection Relays Over/Under Voltage Monitor MFG Item Number 98078903



For switching a lighting load, an internal 16A latching relay is used. The power packs two RJ 45 connectors make control wiring with standard CAT-5 cabling easy and clean.



A fast and selective arc fault mitigation for air-insulated LV & MV switchgear and Relion protection and control relays and sensor technology protect staff and plant facilities for many years.

Contact Us

For more information, pricing, or custom energy solutions, please contact us:

Website: <https://www.gdroofing.co.za>

Email: sales@gdroofing.co.za

Phone: +27 72 418 9365

Address: 22 Electron Avenue, Isando, Johannesburg, 1600, South Africa

This document is for informational purposes only. Specifications subject to change without notice.

