

## GDR Telecom Site Energy Systems

# RoHS-compliant optical switch 2 5G



## RoHS-compliant optical switch 2 5G



HoweVision 2.5G SFP Optical Transceivers provides 2.5Gbps access connectivity for Gigabit Ethernet, 2G Fiber Channel, SONET/SDH OC-48. It complies with SFP MSA, IEEE 802.3 Gigabit Ethernet.



Compliant to SFF-8472 v9.5 and RoHS compliant. Tested in targeted switch for ...



Fiber optic switches, multiplexers and demultiplexers block or route optical signals in a fiber optic network. Where switches simply block or pass optical signals on individual or multiple channels, ...



Class 1 Laser safety and RoHS compliant. As an industry-leading ICT infrastructure and industry solution provider, Ruijie offers customers a wide variety of high-density and low-power 2.5G optical ...



All modules satisfy class I laser safety requirements. The transceivers are compatible with Compact SFP Multi-Source Agreement (MSA) and SFF-8472. For further information, please refer to SFP MSA. ...



Optical Fiber RoHS Compliant 2.5g 1490/1550nm (1550/1490nm) 80km Transceiver, Find Details and Price about Switch Converter from Optical Fiber RoHS Compliant 2.5g 1490/1550nm (1550/1490nm) ...



The 2.5GBASE-LX SFP Transceiver supports up to 15km link lengths over single-mode fiber (SMF) using a wavelength of 1310nm via a LC connector. This transceiver is compliant with SFP MSA (INF ...



Compliant to SFF-8472 v9.5 and RoHS compliant. Tested in targeted switch for superior performance, quality, and reliability Hot Pluggable, easy to use. SFP MSA compliant. Digital optical monitoring ...



The SFP transceivers are high performance, cost effective modules supporting dual data-rate of 2.488Gbps and 20km transmission distance with SMF. The transceiver consists of three sections: a ...



Expand your network's bandwidth and reduce digital bottlenecks with TRENDnet's Unmanaged 2.5G Switches. These 2.5G network switches come equipped with 2.5GBASE-T RJ-45 ports that provide ...



The Simplified Optical Ethernet solution adopts point-to-point transmission and provides a more reliable independent optical transceiver design. The high-quality signal transmission is free from external ...



The 2.5GBASE-LX SFP Transceiver supports up to 15km link lengths over single ...

## Contact Us

For more information, pricing, or custom energy solutions, please contact us:

Website: <https://www.gdroofing.co.za>

Email: [sales@gdroofing.co.za](mailto:sales@gdroofing.co.za)

Phone: +27 72 418 9365

Address: 22 Electron Avenue, Isando, Johannesburg, 1600, South Africa

This document is for informational purposes only. Specifications subject to change without notice.

