

## ST500DM0021BD142 Interface




## ST500DM0021BD142 Interface



These drives use the industry-standard Serial ATA interface that supports FIS data transfers. It supports ATA programmed input/output (PIO) modes 0 to 4; multiword DMA modes 0 to 2, and Ultra DMA ...



The Seagate ST500DM002 is a hard drive with a capacity of 500 GB, a speed of 7200 RPM, and a Serial ATA III interface. The 3.5-inch hard drive also features a storage drive buffer size of 16 MB, ...



ST500DM002 Seagate 3.5" hard drive with a storage capacity of 500GB and featuring a SATA interface. ST500DM002 Seagate Barracuda 500GB 7200RPM SATA 6Gb/s 16MB Cache 3.5 ...



The Seagate ST500DM002 is a hard drive with a capacity of 500 GB, a speed of ...



These drives use the industry-standard Serial ATA interface that supports FIS data transfers. It supports ATA programmed input/output (PIO) modes 0 to 4; ...



It supports ATA programmed input/output (PIO) modes 0 to 4; multiword DMA modes 0 to 2, and Ultra DMA modes 0 to 6. For detailed information about the Serial ATA interface, refer to the "Serial ATA: ...



Seagate ST500DM002 (Barracuda 7200.14) Logs Interface SATA-3 (6Gbit/s) Power connector SATA Power (15-pin)




These drives use the industry-standard Serial ATA interface that supports FIS data transfers. It supports ATA programmed input/output (PIO) modes 0 to 4; multiword DMA modes 0 to 2, and Ultra DMA ...




Seagate Barracuda ST500DM002 Pdf User Manuals. View online or download Seagate Barracuda ST500DM002 User Manual, Product Manual.



These drives use the industry-standard Serial ATA interface that supports FIS data transfers. It supports ATA programmed input/output (PIO) modes 0 to 4; multiword DMA modes 0 to 2, and Ultra DMA ...



Information about the ST500DM002-1BD142 data storage device model with firmware KC44 of the Seagate trademark

	<p>Hard disk specification and storage device technical details for disk SEAGATE ST500DM002-1BD142</p>
---	--

## Contact Us

For more information, pricing, or custom energy solutions, please contact us:

Website: <https://www.gdroofing.co.za>

Email: [sales@gdroofing.co.za](mailto:sales@gdroofing.co.za)

Phone: +27 72 418 9365

Address: 22 Electron Avenue, Isando, Johannesburg, 1600, South Africa

This document is for informational purposes only. Specifications subject to change without notice.

