

Single Core Norwegian Optical Cable Splice Box



Single Core Norwegian Optical Cable Splice Box




Optical trays are used to terminate optical cables in the cabinet. In addition to fixed and extendable optical trays, the portfolio includes also a full range...



User-friendly online design of fiber optic pigtails, fiber optic distribution boxes, RJ45 and fiber optic patch cables as well as ready-to-install fiber optic links.



These aluminum enclosures are designed for high-density splice storage, with emphasis on proper fiber management and versatility of cable port seals and cable tie-down features. FSB enclosures can be ...



FOSC Vertical/Dome splicing closures are excellent protector of fibre optic joints from outdoor environment such as UV, water and weather with leak proof sealing having IP 68 protection.



SOT-unit suitable for installation indoor or outdoor in street cabinet. The unit have capacity for 96 single fibre splices and possibility to connect different types of cables and pipes. Delivered with 6 SC ...



This rugged enclosure protects up to 288 single-fiber or 48 ribbon splices, from as many as 12 cables. The design of the OSE is optimized for quick reentry and graceful system expansion, allowing cables ...



Explore reliable optical fiber splice closures for network deployment. Our closures prioritize reliability, installability, and flexibility.



Splice boxes ensure continuously reliable real-time data transmission. With their compact and uniform design, the splice boxes for both the DIN rail and 19" mounting provide ample interior space for the ...



Whether you need a compact solution or a more robust outdoor fiber-optic splice enclosure, we've got you covered. Use our solutions with different cable sizes and number of drops.



Furnished with four plugged cable ports (2 aluminum and 2 plastic) for either All-Dielectric Self-Supporting (ADSS) or Optical Ground Wire (OPGW) cables, the splice enclosure can be pre ...

Contact Us

For more information, pricing, or custom energy solutions, please contact us:

Website: <https://www.gdroofing.co.za>

Email: sales@gdroofing.co.za

Phone: +27 72 418 9365

Address: 22 Electron Avenue, Isando, Johannesburg, 1600, South Africa

This document is for informational purposes only. Specifications subject to change without notice.

