

# **Single-mode fiber optic transceiver 4100b-3km**



## Single-mode fiber optic transceiver 4100b-3km



Mouser offers inventory, pricing, & datasheets for Singlemode Fiber Optic Transmitters, Receivers, Transceivers.



Fiber/Cable Type: Single-Mode Fiber (SMF) Plug and play, supports hot swap, provides high performance, low power consumption, ensures stable and fast signal propagation




Fiber/Cable Type: Single-Mode Fiber (SMF) Plug and play, supports ...




SFP transceiver that supports 1G connections up to 3 km using single-mode fiber with a simplex LC UPC connector.



Single-mode, simplex, fiber transceiver module. The 1 Gbps Bidirectional Single-mode Optical Module is a simplex transceiver that delivers up to 1.25 Gbps speed over distances up to 3 kilometers.



These transceivers are engineered for long-distance applications, supporting distances from 10 km to 180 km depending on the model and wavelength. They are compatible with a variety of networking ...



This 3km gigabit single fiber transceiver supports 8x10/100/1000Base-T electrical ports and 2x1000Base-X optical ports. It helps users achieve Ethernet data exchange, aggregation, and long ...




Gigabit Optical Transceiver 3KM Long Range Transmission Single-Mode Single-Fiber SC Port Photoelectric Converter DC 5V Powered No reviews yet Shenzhen J.D.N Technology Co., ltd. 1 yr



FS gigabit ethernet transceiver solutions provide fibre or copper options including 1000BASE-SX, 1000BASE-LX/LH, 1000BASE-T etc., from 100m to 160km, for 1G switches, routers, servers, NICs ...



Transmission Distance: 3KM The Gigabit Ethernet Media Converters with external power supply are designed to transmit and receive 10/100/1000Mbps data over optical fiber.



The 1000BASE-EX SFP operates on standard single-mode fiber-optic link spans of up to 40 km in length. A 5-dB inline optical attenuator should be inserted between the fiber-optic cable and ...

## Contact Us

For more information, pricing, or custom energy solutions, please contact us:

Website: <https://www.gdroofing.co.za>

Email: [sales@gdroofing.co.za](mailto:sales@gdroofing.co.za)

Phone: +27 72 418 9365

Address: 22 Electron Avenue, Isando, Johannesburg, 1600, South Africa

This document is for informational purposes only. Specifications subject to change without notice.

