

## Spanish Active Optical Device 2 5G



## Spanish Active Optical Device 2 5G



OP151S is an GPON ONU device designed with the ITU-T G984 standard . It is a cost-effective GPON customer premise system and can provide 1244Mbps upstream / 2488Mbps downstream Broad ...

### An Extensive Library of Self-Developed Products




FS 2.5G SFP solution with low power consumption provides an ideal connection option for 2.5G Ethernet over Cat5e cable, switch to switch interface, and AP/Router interface.



The TM5 transceiver with supports data rate of typical 2.488 Gbps for GPON OLT application up to 20k Tenda TM5 2.5G GPON OLT SFP C++ SC Optical Transceiver



155M-2.5G CSFP BiDi GIGALIGHT's CSFP series optical transceiver modules include two single-fiber bidirectional channels, each supporting data rates from 155Mbps to 2.5Gbps.



2.5G SFP module, CWDM/DWDM module, single-fiber bidirectional module; with low power consumption, industrial grade work temperature, high reliability



This market research report provides a comprehensive analysis of the Global and regional Optical Active Device Chip market, covering the forecast period 2025-2032.



Equipped with an ITU-T G.984 compliant 2.5G Downstream and 1.25G Upstream GPON interface, this device supports triple-play services including voice and high-speed internet access service. The ONT ...



AscentOptics" SFP Optical Transceivers are hot-swappable, compact media connectors that provide instant fiber connectivity for both telecommunication and data communications applications.



All modules satisfy class I laser safety requirements. The transceivers are compatible with SFP Multi-Source Agreement and SFF-8472 digital diagnostics functions.



AscentOptics" SFP Optical Transceivers are hot-swappable, compact media connectors that provide instant fiber connectivity for both telecommunication and ...



10G/2.5G/1G multi-rate Burst-mode TIA complied to both IEEE and ITU-T standard, XGS-PON, NG-PON2 and 10G-EPON.

## Contact Us

For more information, pricing, or custom energy solutions, please contact us:

Website: <https://www.gdroofing.co.za>

Email: [sales@gdroofing.co.za](mailto:sales@gdroofing.co.za)

Phone: +27 72 418 9365

Address: 22 Electron Avenue, Isando, Johannesburg, 1600, South Africa

This document is for informational purposes only. Specifications subject to change without notice.

