

## Specifications and Models of Multimode Armored Optical Cables



## Specifications and Models of Multimode Armored Optical Cables



These armored fiber cables provide network safety without compromising flexibility or performance. The armored fiber optic cables come in single mode and multimode categories like OM1, OM2, OM3 and ...



Built-in flexible stainless steel and robust Aramid yarn protect the optical fibers more effectively than standard fiber optic cables do. The rugged armored tubing allows optical fiber to be installed in the ...




There exists considerable overlap and redundancy between the various standards and specifications for each class of MMF. In addition, product specifications can be confused with overall architecture, or ...



SPECIFICATIONS.



Our Steel Armored Fiber Optic Cable features Rodent Resistant Spiral Steel Armor, 6 strands of OM4 50/125um Multimode Corning® ClearCurve® Multimode core, and an aqua plenum rated jacket.



Built-in flexible stainless steel and robust Aramid yarn protect the optical fibers more effectively than standard fiber optic cables do. The rugged armored tubing allows optical fiber to be installed in the ...



Techlogiks armoured loose tube cables are the product of choice as the backbone in Outside Plant (OSP) environments. The rugged loose tube design offers reliable transmission performance over a ...



DIGISOL Multi Mode Unitube Armoured Cable is a direct burial cable with thixotropic jelly in central loose tube to prevent water ingress and armour with high quality electro chromium corrugated steel ...



A choice of multimode and single-mode fibre types and specifications are offered ranging 24 fibre configurations. This tough rugged cable is ideal for all external environments including LAN direct ...



Multimode or singlemode fibers colored per TIA/EIA 598 Fibers are protected in gel-filled loose tubes stranded around a central strength member to ensure optimum performance and long life

## Contact Us

For more information, pricing, or custom energy solutions, please contact us:

Website: <https://www.gdroofing.co.za>

Email: [sales@gdroofing.co.za](mailto:sales@gdroofing.co.za)

Phone: +27 72 418 9365

Address: 22 Electron Avenue, Isando, Johannesburg, 1600, South Africa

This document is for informational purposes only. Specifications subject to change without notice.

