

Spectrometer Sensor Types



Spectrometer Sensor Types




01 Common Types of Spectrometers According to different classification standards, spectrometers can be divided into various types, each with its unique principles and applications.



Spectrometers use light wavelengths to investigate the chemical composition of a sample. Atomic spectrometers use an analytical method by which one or several elements in unknown mixtures can ...



Detectors come in various materials and configurations, each optimized for different applications. Selecting the right one depends on factors such as cost, speed, sensitivity, and noise performance. ...



By essentially innovating a spectrometer-on-a-chip approach, ams OSRAM spectral sensors enable all new types of applications and use cases. Read for example our blog article about the new optical ...



From agriculture and environmental monitoring to medical diagnostics and industrial automation, spectral sensors have revolutionized numerous industries by enabling a deeper understanding of the ...



Presented here is a discussion of the fundamental concepts that define a detector, and an examination of several detectors commonly used in spectroscopy. All spectroscopic measurements are made ...



Wide range optical spectrometers may also extend into the near-infrared and UV regions. Other types of spectrometer include mass spectrometers and nuclear magnetic resonance (NMR) spectrometers, ...



Chemical Sensors: Detect chemical substances or changes in chemical properties (gas sensors, pH sensors). Optical Sensors: Measure light intensity, color, or spectral properties ...



We offer over 20 different types of mini-spectrometers covering the spectral range from UV to NIR. Suitable for applications such as environmental measurement, color measurement, ...



There are two basic types of atomic spectrometers: emission and absorbance. In either case a flame burns the sample, breaking it down into atoms or ions of the elements present in the ...

Infrared SpectrometersAtomic AbsorptionAtomic EmissionAtomic FluorescenceAcknowledgementsReferencesDevelopersInfrared spectrometers are used to measure the wavelength and intensity of the absorption of infrared radiation by a sample. The measurements provide valuable chemical composition information. See more on encyclopedia e.engin.umich

```
.rcimgcol .cico { background: #f5f5f5; } .b_drk.rcimgcol .cico, .b_dark.rcimgcol .cico { background: unset; } .b_imgSet .b_hList li.square_m, .b_imgSet .b_hList li.tall_m { width: 75px; } .b_imgSet .b_hList li.tall_m { width: 113px; } .b_imgSet .b_hList li.tall_m { width: 96px; } .b_imgSet .b_hList li.wide_m { width: 128px; } .b_imgSet .b_Card .b_hList li { padding-left: 1px; padding-right: 9px; } .b_imgSet .b_Card .b_hList li.tall_wfn { width: 80px; padding-right: 6px; } .b_imgSet .b_Card .b_hList li:last-child { padding-right: 1px; } .b_imgSet .b_Card .b_imgSetData { padding: 0 8px 8px; height: 40px; } .b_imgSet .b_Card .b_imgSetItem { box-shadow: 0 0 0 1px rgba(0,0,0,.05), 0 2px 3px 0 rgba(0,0,0,.1); border-radius: 6px; overflow: hidden; } .b_imgSet .b_imgSetData p a { color: #444; outline-offset: 0; } .b_subModule .b_clearfix .b_mhdr .b_floatR .b_moreLink, .b_subModule .b_clearfix .b_mhdr .b_floatR .b_moreLink:visited, .b_subModule > .b_moreLink, .b_subModule > .b_moreLink:visited { color: #767676; } .b_imgSet .cico .b_placeholder { display: flex; justify-content: center; background-color: #f5f5f5; background-clip: content-box; } .b_imgSet .cico .b_placeholder a { display: flex; } .b_imgSet .cico .b_placeholder a img { width: 48px; height: 48px; margin: auto; } @media (max-width: 1362.9px) { #b_context .b_entityTP .b_imgSet li:nth-child(5) { display: none; } .b_imgSet .b_hList li.wide_m:nth-child(3) { display: none; } } @media (max-width: 1274.9px) { #b_context .b_entityTP .b_imgSet li:nth-child(4) { display: none; } .b_imgSet .b_hList li.wide_m:nth-child(2) { display: none; } } .rcimgcol .b_imgSet { content-visibility: auto; contain-intrinsic-size: 1px 124px; } .rcimgcol { height: 108px; padding-top: var(--smtc-gap-between-content-x-small); padding-bottom: var(--smtc-gap-between-content-x-small); } .b_algo:has(.b_agh) .rcimgcol { padding-top: var(--smtc-gap-between-content-xx-small); } .rcimgcol .b_imgSet { overflow: hidden; } .rcimgcol .b_imgSet ul { overflow-x: auto; overflow-y: hidden; white-space: nowrap; padding-left: 0; } .rcimgcol .b_imgSet ul::-webkit-scrollbar { -webkit-appearance: none; } .rcimgcol .b_imgSet .b_hList > li { padding-right: var(--smtc-padding-ctrl-text-side); } .rcimgcol .b_imgSet .cico { border-radius: unset; } .rcimgcol .b_imgSet .b_hList > li:first-child .cico, .rcimgcol .b_imgSet .b_hList > li:first-child .cico a { border-radius: unset; border-top-left-radius: var(--mai-smtc-corner-card-default); border-bottom-left-radius: var(--mai-smtc-corner-card-default); overflow: hidden; } .rcimgcol .b_imgSet .b_hList > li:last-child .cico, .rcimgcol .b_imgSet .b_hList > li:last-child .cico a { border-radius: unset; border-top-right-radius: var(--mai-smtc-corner-card-default); border-bottom-right-radius: var(--mai-smtc-corner-card-default); overflow: hidden; } .rcimgcol .rcimgcol .b_sideBleed { margin-left: unset; margin-right: unset; } .rcimgcol .b_imgclgovr { cursor: pointer; } .rcimgcol .b_imgclgovr .cico img: hover { transform: scale(1.05); transition: transform .5s ease; } #b_content #b_results > .b_algo .b_caption:has(.rcimgcol) { padding-right: var(--mai-smtc-padding-card-default); margin-right: calc(-1 * var(--mai-smtc-padding-card-default)); margin-left: calc(-1 * var(--mai-smtc-padding-card-default)); padding-left: var(--mai-smtc-padding-card-default); } .rcimgcol .b_imgSet .b_hList .cico a { display: flex; outline-offset: -2px; } .rcimgcol .b_hList > li { position: relative; padding-bottom: 0; } .rcimgcol .b_hList > li .iacf_smol { pointer-events: none; border-top-right-radius: var(--mai-smtc-corner-card-default); border-bottom-right-radius: var(--mai-smtc-corner-card-}
```

```
default);white-space:normal}.rcimgcol .b_hList .cico{margin-bottom:0}.iacf_smol{display:flex;justify-content:center;align-items:center;gap:var(--smtc-gap-between-content-xx-small);width:100%;height:100%;background:rgba(0,0,0,.6);position:absolute;left:0;top:0;color:var(--mai-smtc-foreground-ctrl-on-image-rest);font:var(--bing-smtc-text-global-body2-strong);flex-wrap:wrap;align-content:center;text-align:center}.iacf_smol:hover{text-decoration:underline}.iacfmit[data-nohov].iacfimgc .cico img{transform:none}ams OSRAM
```

Contact Us

For more information, pricing, or custom energy solutions, please contact us:

Website: <https://www.gdroofing.co.za>

Email: sales@gdroofing.co.za

Phone: +27 72 418 9365

Address: 22 Electron Avenue, Isando, Johannesburg, 1600, South Africa

This document is for informational purposes only. Specifications subject to change without notice.

