

## GDR Telecom Site Energy Systems

**The optical module can be connected to the optical hub**



## The optical module can be connected to the optical hub




Given the heightened bandwidth requirements of 5G networks, 100G optical modules are essential. In 5G base stations, these modules can be used to connect the base station equipment to ...



The GigaWave® O-HUB Optical Switch provides seamless optical path redundancy, ensuring service continuity during fiber cuts or signal degradation. Up to four switches can be installed in either the ...



Do not insert the optical module with optical fibers directly into an optical interface. You need to install the optical module first and then the optical fibers.



The Model GS7000 Optical Hub can accept a fiber optic cable connector for the active modules in the housing lid from either the left side (port F1) or right side (port F2) of the housing, or both.




The Model GS7000 optical hub provides multiple options for optical amplification, filtering, splitting, and combining, all in a field-proven Model GS7000 station. The ...



The local control module is equipped with a USB port to allow local control of the optional forward band redundancy switches, the reverse band 6 dB (wink) attenuators, the reverse band on/off switches, ...



The Model GS7000 optical hub provides multiple options for optical amplification, filtering, splitting, and combining, all in a field-proven Model GS7000 station. The active optical modules include a variety of ...




The Model GS7000 Optical Hub can accept a fiber optic cable connector for the active modules in the housing lid from either the left side (port F1) or right side (port F2) of the housing, or both.



The Model GS7000 Optical Hub must be connected to an active two-way RF network for status monitoring communications. Configuration parameters for the transponder module, such as IP ...



The GigaWave® Opti-HUB Optical Switch provides seamless optical path redundancy, ensuring service continuity during fiber cuts or signal degradation. Up to four switches can be installed in the hub base ...



Inserting and Removing Optical Modules: When inserting or removing optical modules, gently insert the module into the slot, ensuring proper alignment of the interface.

## Contact Us

For more information, pricing, or custom energy solutions, please contact us:

Website: <https://www.gdroofing.co.za>

Email: [sales@gdroofing.co.za](mailto:sales@gdroofing.co.za)

Phone: +27 72 418 9365

Address: 22 Electron Avenue, Isando, Johannesburg, 1600, South Africa

This document is for informational purposes only. Specifications subject to change without notice.

