

Vertical Waterproofing of Cable Trays

Pre-Terminated Patch Panel




Multi-application support



Flexible configuration



Modular design



Cable Gland Plug
28mm Cable Gland Plug



MPO-LC up to 96 cores
MPO direct connection 48 ports



Mounting Bracket
Semi-open mounting holes



Vertical Waterproofing of Cable Trays




WSP units accept any cable size and quantity. Our units install before or after tray and cable. Cable maintenance and changes are simple and easy — no additional parts are needed. Our units are ...



Learn about Waterproof and Dustproof Performance Testing of Cable Trays. Understand IP ratings, test methods, and why it's vital for cable protection.



Steel wall sleeves support cable trays at penetrations, featuring UL fire-rated systems and outdoor weatherproof kits. Review specs for safe installation.



We design vertical penetrations for complex arrays of cable trays and pipework and can deal with any sort of ductwork or steel structure that is required to pass in and out of the building.



By embracing these external cable solutions, you forge an unbreakable bond between your network and the elements, empowering it to withstand the storms that lie ahead. Let your ...



Our aluminum, I-beam ladder cable trays feature 3-inch tangents and are using connectable with our fittings and accessories. Aluminum ladder cable trays benefit from being lightweight and resistant to ...



The best method for weatherproofing cable trays will depend on whether the cables are entering the building through a vertical wall penetration or a roof penetration.



Sealing the cables individually with pressure fit seals is the only way you're likely to get a truly watertight penetration in the circumstance. As Waross noted their preference, almost any ...



Designed to withstand weather, UV rays, moisture, and temperature fluctuations, these solutions ensure long-lasting performance for power, control, and data cables routed between buildings, across ...



In designing supports for a cable tray system, consideration should be given to the loads associated with future cable additions and any additional loading that may be applied to the cable tray system (e.g., ...

Multi-Cable and Cable-Tray Weatherstop Penetrations10 Reasons to Count on WSP
 For Your Weatherseal NeedsTypical WSP Weatherstop Unit ConstructionMSDS
 SheetsWSP weatherstops are designed to seal penetrations of any type in walls or
 floors by cable tray, cable conduit, pipe and/or bus duct. The WSP system utilizes a
 powder coated or galvanized steel frame that encompasses the entire tray or duct at
 the point of penetration. These steel frames are chemical, water and corrosion
 resistant and are sui...See more on dorncsd .b_imgcap_alttitle p
 strong,.b_imgcap_alttitle .b_factrow strong{color:#767676}#b_results .b_imgcap_altit
 le{line-height:22px}.b_imgcap_alttitle{display:flex;flex-direction:row-
 reverse;gap:var(--mai-smtc-padding-card-nested-default)}.b_imgcap_alttitle
 .b_imgcap_img{flex-shrink:0;display:flex;flex-direction:column}.b_imgcap_alttitle
 .b_imgcap_main{min-width:0;flex:1}.b_imgcap_alttitle
 .b_imgcap_img>div,.b_imgcap_alttitle .b_imgcap_img a{display:flex}.b_imgcap_alttitle
 .b_imgcap_img img{border-radius:var(--mai-smtc-corner-card-
 default)}.b_imagePair.square_s> ner{width:50px}.b_imagePair.square_s{padding-
 left:60px}.b_imagePair.square_s> ner{margin:2px 0 0 -60px}.b_imagePair.square_s.r
 everse{padding-left:0;padding-right:60px}.b_imagePair.square_s.reverse>
 ner{margin:2px -60px 0 0}.b_ci_image_overlay:hover{cursor:pointer}
 sightsOverlay,#OverlayIFrame.b_mcOverlay sightsOverlay{position:fixed;top:5%;left:
 5%;bottom:5%;right:5%;width:90%;height:90%;border:0;border-radius:15px;margin:0
 ;padding:0;overflow:hidden;z-index:9;display:none}#OverlayMask,#OverlayMask.b_
 mcOverlay{z-index:8;background-
 color:#000;opacity:.6;position:fixed;top:0;left:0;width:100%;height:100%}Atkore

Contact Us

For more information, pricing, or custom energy solutions, please contact us:

Website: <https://www.gdroofing.co.za>

Email: sales@gdroofing.co.za

Phone: +27 72 418 9365

Address: 22 Electron Avenue, Isando, Johannesburg, 1600, South Africa

This document is for informational purposes only. Specifications subject to
 change without notice.

