


XGM Optocoupler Module



XGM Optocoupler Module



In order to design a functionally robust and reliable application with optocouplers, it is essential to understand not only the device's main parameters and parasitic elements, but also their tolerances ...



The optocoupler module's input side includes power or signal-input electronics along with the LED. The output includes the photosensitive device (typically a phototransistor or photodiode) in an output circuit.



Optocoupler module; Nominal input voltage: 24 VDC; Output voltage range: 9 ... 60 VDC; Limiting continuous current: 0.1 A; 2-wire connection; Railway; Red status indicator; Module width: 6 mm; gray



Shop DigiKey's large in-stock selection of Logic Output Optoisolators. View inventory, pricing and order now for same day shipping!



Crucially, there is no direct electrical connection between input and output, which allows the optocoupler to provide galvanic isolation—protecting low-voltage control circuitry from high-voltage spikes, ...



Optocouplers, also known as opto-isolators, are components that transfer electrical signals between two isolated circuits by using infrared light. As an isolator, an optocoupler can prevent high voltages from ...




This document summarizes the principles and applications of Cross Gain Modulation (XGM) in optical communication systems. XGM is a technique that uses an optical signal to modulate the gain of an ...



We have a specialized portfolio of fixed-mount optocouplers for railway applications and shipbuilding. Thanks the wide variety of different versions, they are ideal for niche applications.



The integration of multiple optocouplers in monolithic form is achieved through patented process technology. These devices provide full duplex and bidirectional isolated data transfer and ...



Optocouplers (photocouplers, optoisolators, optical isolators) are devices used to prevent high (or rapidly changing) voltages on one side of the circuit from damaging components or distorting ...

Contact Us

For more information, pricing, or custom energy solutions, please contact us:

Website: <https://www.gdroofing.co.za>

Email: sales@gdroofing.co.za

Phone: +27 72 418 9365

Address: 22 Electron Avenue, Isando, Johannesburg, 1600, South Africa

This document is for informational purposes only. Specifications subject to change without notice.

